


Lighting Price List 2013

LED Daylight Ballasts Tungsten Fluorescent PLA



ABOUT ARRI

ARRI GROUP

With headquarters located in Munich, Germany, Arnold and Richter Cine Technik (ARRI) was founded in 1917 and is the world's largest manufacturer and distributor of motion picture camera, digital intermediate and lighting equipment. The ARRI Group comprises a global network of subsidiaries, agents and representatives that covers all aspects of the film industry: design, engineering, production, equipment rental, turnkey lighting solutions, post production, film and sound laboratory services, and visual effects. The Academy of Motion Picture Arts and Sciences has recognized ARRI's engineers and their technical contributions with 18 Scientific and Engineering Awards.



Award-winning Daylight technology, ARRIMAX M-Series (Scientific and Engineering Award).



ARRI Lighting R&D and production facilities in Stephanskirchen (Germany).

ARRI LIGHTING

ARRI's extensive range of lighting products offers an abundance of creative lighting solutions. ARRI lights are put to use across the world on feature film and TV productions, in TV studios, at major events, in theaters and for industrial applications. With more than 95 years manufacturing tradition in Southern Germany, ARRI products are renowned for quality and reliability. Since 1953 the luminaire production facility has been located in Stephanskirchen (Rosenheim) offering a total of 6,000 square meters of manufacturing floor space. Based on the variety of 200 active products, up to 50 thousands lamp heads are assembled and shipped on a yearly basis.

ARRI SYSTEM GROUP

As well as being a major manufacturer of lighting equipment, ARRI is also an expert in how this equipment can be put to best use. Our engineers and project leaders manage the execution of lighting solutions. The ARRI System Group is specialized in complex project work and can offer complete services for turnkey solutions of new installations or upgrades. The service options include technical and conceptual consulting, system planning and design, project management and controlling, logistics, installation, acceptance tests, training and customer service. Our clients are film and television studios, theatres, event organizers, and industrial companies. With a world-wide network of system specialists ARRI is offering regional support from Berlin, Milan, Hong Kong, and Blauvelt (New York City area).



Green Studio turnkey solutions with innovative LED technology.

DISCLAIMER OF WARRANTY

All prices quoted in this price list are exclusive of any applicable value added tax, which the buyer shall be additionally liable to pay to the seller. All prices are quoted on FCA basis (Incoterms 2010). All costs incurred for shipping, freight, customs and all other duties and services will be charged separately.

Some products in the price list are listed with Price On Asking (poa). Please contact your local dealer for more information.

Technical data, specifications, features, prices and scope of delivery are subject to change without notice.

All deliveries, services, offers and contracts are exclusively subject to our currently applicable General Sale And Delivery Terms & Conditions. For Merchants (revision 1st Jan 2006). Refer to page 128 for further details.

ARRI, the ARRI Logo, ARRI X, POCKETPAR, ARRILUX, ARRISUN, T12, T24, EBB and ARRIMAX are registered Trademarks of Arnold & Richter Cine Technik GmbH & Co. Betriebs KG. Other company or product names mentioned herein may be trademarks of their respective owners.

Reproduction in whole or in parts without prior permission is prohibited. All rights reserved. No responsibility is taken for the correctness of this information.

Photos presented may vary from actual products. Precautions have been taken to assure accuracy of the information in this price list. Typographic or pictorial errors that are brought to our attention will be corrected in subsequent issues.

Lighting Sales

Arnold & Richter Cine Technik GmbH & Co Betriebs KG

Ernst-Augustin-Strasse 12

12489 Berlin

Germany

sales-lighting@arri.de

Phone: +49 30 67 82 33 0

Fax: +49 30 67 82 33 99

www.arri.com

Technical Service

Arnold & Richter Cine Technik GmbH & Co. Betriebs KG

Pulvermühle

83071 Stephanskirchen

Germany

service-lighting@arri.de

Tel.: +49 (0)8036 - 3009 3009

Fax: + 49 (0)8036 - 3009 3030

www.arri.com

TABLE OF CONTENTS




SETS		12
	LED SETS _____	13
	ARRI LoCaster Sets _____	13
	DAYLIGHT SETS _____	14
	ARRILUX - POCKETPAR Sets _____	14
	TUNGSTEN SETS _____	15
	ARRILITE 750 Plus Sets _____	15
	ARRILITE 2000 Plus Sets _____	16
	Softbank I Plus Set _____	17
	ARRI 650/3 Set with wheels _____	18
	Sofbank IV Plus Set _____	19
ARRI 300/650 Fresnel Combo Set _____	20	

TABLE OF CONTENTS




LED		21
	L-SERIES _____	22
	L7-C _____	22
	L7-TT _____	23
	CASTER SERIES _____	24
	LoCaster _____	24
DAYLIGHT		26
	TRUE BLUE D _____	27
	True Blue D5 _____	27
	True Blue D12 _____	29
	True Blue D25 _____	31
	True Blue D40 _____	33

TABLE OF CONTENTS

DAYLIGHT

26



M-SERIES _____ **35**

M18 _____ 35

M40 _____ 37

M90 _____ 39

ARRIMAX 18/12 _____ 40



ARRI FRESNEL _____ **41**

ARRI Daylight 18/12 _____ 41



COMPACT _____ **42**

ARRI Compact 200 _____ 42

ARRI Compact 6000 Plus _____ 44

ARRI Compact 1200 Baby _____ 46



COMPACT THEATRE _____ **48**

ARRI Compact 2500 Theatre _____ 48

ARRI Compact 4000 Theatre _____ 50

TABLE OF CONTENTS

DAYLIGHT

26



ARRISUN	52
ARRISUN 2	52
ARRISUN 5	54
AS 18	56
AS 40	58
ARRISUN 60	60
ARRISUN 120	62



ARRISUN EVENT	64
ARRISUN 5 Event	64
ARRISUN 18 Event	65



ARRI X	66
ARRI X 5	66
ARRI X 12	68
ARRI X 40/25	70
ARRI X 60	72

TABLE OF CONTENTS

DAYLIGHT 26



ARRI X THEATRE _____ **74**

ARRI X 40/25 Theatre _____ 74



ARRILUX _____ **76**

ARRILUX PocketPAR 125 _____ 76

ARRILUX PocketPAR 200 _____ 78

ARRILUX PocketPAR 400 _____ 80

BALLASTS 82



LOCATION BALLASTS _____ **83**

Electronic Location Ballasts _____ 83

Electronic High Speed Ballasts _____ 84

Electronic Lightweight Ballasts _____ 84

Electronic Battery Ballasts _____ 85

Electronic Booster Ballasts _____ 85

Choke Ballasts _____ 85



EVENT BALLASTS _____ **86**

Electronic Event Ballasts _____ 86

TABLE OF CONTENTS

TUNGSTEN

87



TRUE BLUE T _____ **88**

True Blue T1 _____ 88

True Blue T2 _____ 90

True Blue T5 _____ 92



ARRILITE PLUS _____ **94**

ARRILITE 750 Plus _____ 94

ARRILITE 2000 Plus _____ 96



TRUE BLUE ST _____ **98**

True Blue ST1 _____ 98

True Blue ST2/3 _____ 100

True Blue ST5 _____ 102



TRUE BLUE ST THEATRE _____ **104**

True Blue ST1/2 Theatre _____ 104

True Blue ST5 Theatre _____ 105

TABLE OF CONTENTS

TUNGSTEN

87



CYC/FLOODLIGHT _____ **106**

CYC Floodlight _____ 106



STUDIO T _____ **108**

Studio T12 _____ 108

Studio T24 _____ 110



ARRI FRESNEL _____ **112**

ARRI 150 _____ 112

ARRI 300 Plus _____ 113

ARRI 650 Plus _____ 115

FLUORESCENT

117




STUDIO COOL _____ **118**

Studio Cool 4 _____ 118


Studio Cool 2 _____ 119

Studio Cool 2+2 _____ 120

TABLE OF CONTENTS

PLA – PROFESSIONAL LIGHTING ACCESSORIES		121
	EVENT Components _____	122
	Adapter Cables _____	123
	Components for Daylight _____	124
	Stands _____	126
INDEX		127

SETS



ARRI LoCaster SETS



ARRI LoCaster SETS

Ident. No.	Description	Price / EURO
L0.30190.0	LoCaster Set with Schuko Connector 1x L1.30190.0 LoCaster LED Panel 35 W, 11-36 V DC, Onboard Control 1x L2.30105.0 4-Pin extension cable, LoCaster 1x L2.30083.0 Caster Series Power Supply XLR 4-Pin 24VDC / 60 W 1x L2.30089.0 Caster Stirrup 1x L2.30099.0 Case / LoCaster	1.060,00 €
L0.30191.0	LoCaster Set with Schuko Connector, barndoor and Filter Frame 1x L1.30190.0 LoCaster LED Panel 35 W, 11-36 V DC, Onboard Control 1x L2.30105.0 4-Pin extension cable, LoCaster 1x L2.30083.0 Caster Series power supply XLR 4-Pin 24VDC / 60 W 1x L2.30089.0 Caster stirrup 1x L2.30099.0 Case / LoCaster 1x L2.30061.0 2-leaf barndoor for Caster Series, with gel frame slot 1x L2.30059.0 Gel frame for Caster Series 2-leaf barndoor	1.135,00 €

ARRILUX - POCKETPAR SETS



ARRILUX - POCKETPAR SETS

Ident. No.	Description	Connector	Price / EURO
L0.73375.0	ARRILUX 125 POCKETPAR Profiset POCKETPAR 125, barndoor, N-Flood, Flood, S-Flood, S-Flood frosted, 3/4 CTO, hand grip, case, cable 7 m, EB 125/200 (L2.76013.B)	International	3.250,00 €
L0.70790.C	ARRILUX 200 POCKETPAR Set POCKETPAR 200, barndoor, N-Flood, Flood, S-Flood, S-Flood frosted, lens bag, hand grip, case, cable 7 m, EB 125/200 (L2.76013.B)	International	3.600,00 €
L0.70790.E	ARRILUX 200 POCKETPAR Lighthouse Set POCKETPAR 200, barndoor, N-Flood, Flood, S-Flood, S-Flood frosted, lens bag, lighthouse, shutter, Chimera adapter, hand grip, case, cable 7 m, EB 125/200 (L2.76013.B)	International	4.220,00 €
L0.70880.C	ARRILUX 400 POCKETPAR Set POCKETPAR 400, barndoor, Spot, N-Flood, Flood, S-Flood, S-Flood frosted, lens bag, hand grip, case, cable 7 m, EB 400/575 (L2.76260.0)	International	4.730,00 €
L0.70880.E	ARRILUX 400 POCKETPAR Lighthouse Set POCKETPAR 400, barndoor, Spot, N-Flood, Flood, S-Flood, S-Flood frosted, lens bag, lighthouse, shutter, Chimera adapter, hand grip, case, cable 7 m, EB 400/575 (L2.76260.0)	International	5.495,00 €

ARRILITE 750 Plus SETS



ARRILITE 750 PLUS SETS

Ident. No.	Description	Connector	Price / EURO
L0.36700.D	ARRILITE 750 Plus, 3 tungsten lighting set 3x L3.36700.D ARRILITE 750 Plus incl. 4-leaf barndoor 3x L2.76965.0 Lighting stand AS-01 050MKA 3x L2.36800.0 Lamp HPL 750 W (230 V)* 1x L2.36806.R Case for 3 lampheads, with wheels 1x L2.79460.0 Scrim set 1x L2.77180.0 Filterpack	Schuko plug	1.683,00 €
L0.36700.0	ARRILITE 750 Plus, 3 tungsten lighting set 3x L3.36700.D ARRILITE 750 Plus incl. 4-leaf barndoor 3x L2.76965.0 Lighting stand AS-01 050MKA 3x L2.36800.0 Lamp HPL 750 W (230 V)* 1x L2.36806.0 Case for 3 lampheads, without wheels 1x L2.79460.0 Scrim set 1x L2.77180.0 Filterpack	Schuko plug	1.637,00 €
L0.36700.B	ARRILITE 750 Plus, 3 tungsten lighting set 3x L3.36700.B ARRILITE 750 Plus incl. 4-leaf barndoor 3x L2.76965.0 Lighting stand AS-01 050MKA 3x L2.36800.0 Lamp HPL 750 W (230 V)* 1x L2.36806.R Case for 3 lampheads, with wheels 1x L2.79460.0 Scrim set 1x L2.77180.0 Filterpack	bare ends	1.683,00 €
L0.36700.E	ARRILITE 750 Plus, 3 tungsten lighting set 3x L3.36700.B ARRILITE 750 Plus incl. 4-leaf barndoor 3x L2.76965.0 Lighting stand AS-01 050MKA 3x L2.36800.0 Lamp HPL 750 W (230 V)* 1x L2.36806.0 Case for 3 lampheads, without wheels 1x L2.79460.0 Scrim set 1x L2.77180.0 Filterpack	bare ends	1.637,00 €

* HPL lamp invented by and licensed from David Cunningham

ARRILITE 2000 Plus SETS



ARRILITE 2000 Plus SETS

Ident. No.	Description	Connector	Price / EURO
L0.36500.D	ARRILITE 2000 Plus, 2 tungsten lighting set 2x L3.36500.D ARRILITE 2000 Plus incl. 4-leaf barndoor 2x L2.89212.0 Lamp T 2000 (230 V) 1x L2.76950.0 Scrim set 254 mm 1x L2.77180.0 Filterpack 1x L2.76956.P Case for 2x AL2000 Plus	Schuko plug	1.399,00 €
L0.36500.B	ARRILITE 2000 Plus, 2 tungsten lighting set 2x L3.36500.B ARRILITE 2000 Plus incl. 4-leaf barndoor 2x L2.89212.0 Lamp T 2000 (230 V) 1x L2.76950.0 Scrim set 254 mm 1x L2.77180.0 Filterpack 1x L2.76956.P Case for 2x AL2000 Plus	bare ends	1.399,00 €

SOFTBANK I Plus SET



SOFTBANK I Plus SET

Ident. No.	Description	Connector	Price / EURO
L0.76597.S	Softbank I Plus lighting set	bare ends	3.035,00 €
	1x L3.79200.B	ARRI 300 Plus	
	2x L3.79400.B	ARRI 650 Plus	
	1x L3.36700.B	ARRILITE 750 Plus w/Acc. Holder	
	1x L2.79160.A	5 Full Single Scrim	
	1x L2.79160.B	5 Full Double Scrim	
	3x L2.89203.0	300 W FKW Lamp	
	3x L2.79460.A	6 5/8 Full Single Scrim	
	3x L2.79460.C	6 5/8 Full Double Scrim	
	1x L2.89205.0	650 W FRK Lamp	
	1x L2.36800.0	750 W HPL Lamp*	
	1x L2.70844.0	Chimera Video Pro Bank, Small (24x32)	
	4x L2.76976.0	AS-2 Stand	
	1x L2.86270.0	Accessory Pack	
	1x L2.76594.0	Heavy Duty Case with wheels (1016 x 482,5 x 343 mm)	

* HPL lamp invented by and licensed from David Cunningham

ARRI 650/3 SET WITH WHEELS



ARRI 650/3 LIGHTING SET WITH WHEELS

Ident. No.	Description	Connector	Price / EURO
L0.79400.C	ARRI 650/3 lighting set with wheels	bare ends	2.045,00 €
	3x L3.79400.B ARRI 650 Plus		
	3x L2.79460.A 6 5/8 Full Single Scrim		
	3x L2.79460.C 6 5/8 Full Double Scrim		
	3x L2.89205.0 FRK 650W Lamp		
	3x L2.76965.0 AS-01 Stand		
	1x L2.76592.0 Compact 3-Light case with wheels (825,5 x 432 x 267 mm)		

SOFTBANK IV Plus SET



SOFTBANK IV Plus LIGHTING SET

Ident. No.	Description	Connector	Price / EURO
L0.76599.S	Softbank IV Plus lighting set	bare ends	3.365,00 €
	2x L3.79360.B ARRI 150		
	2x L2.73466.A 3 Full Single Scrim		
	2x L2.73466.B 3 Full Double Scrim		
	2x L2.89202.0 150 W ESP Lamp		
	1x L3.79200.B ARRI 300 Plus		
	1x L2.79160.A 5 Full Single Scrim		
	1x L2.79160.B 5 Full Double Scrim		
	1x L2.89203.0 300 W FKW Lamp		
	1x L3.79400.B ARRI 650 Plus		
	2x L2.79460.A 6 5/8 Full Single Scrim		
	2x L2.79460.C 6 5/8 Full Double Scrim		
	1x L2.89205.0 650 W FRK Lamp		
	1x L3.36700.B ARRILITE 750 Plus w/Acc. Holder		
	1x L2.36800.0 750W HPL Lamp* 120 V		
	1x L2.70844.0 Chimera Video Pro Bank, Small (24x32)		
	1x L2.86270.0 Accessory Pack		
	1x L2.86271.0 Super Clamp w/ 5/8 Stud		
	1x L2.86272.0 Ceiling Scissor Clamp		
	4x L2.76976.0 AS-2 Stand		
	1x L2.76594.0 Heavy Duty Case (1016 x 482,5 x 343 mm)		

* HPL lamp invented by and licensed from David Cunningham


300/650 FRESNEL COMBO SET



300/650 FRESNEL COMBO LIGHTING SET

Ident. No.	Description	Connector	Price / EURO
L0.76598.F	300/650 Fresnel Combo lighting set	bare ends	2.685,00 €
	2x L3.79200.B	ARRI 300 Plus	
	2x L2.79160.A	5 Full Single Scrim	
	2x L2.79160.B	5 Full Double Scrim	
	2x L2.89203.0	FKW 300 W Lamp	
	2x L3.79400.B	ARRI 650 Plus	
	2x L2.79460.A	6 5/8 Full Single Scrim	
	2x L2.79460.C	6 5/8 Full Double Scrim	
	2x L2.89205.0	FRK 650 W Lamp	
	4x L2.76976.0	AS-2 Stand	
	1x L2.86270.0	Accessory Pack	
	1x L2.76594.0	Heavy Duty Case with wheels (1016 x 482,5 x 343 mm)	

LED





L7 LED FRESNEL

Type of Lamphead:	L7 LED Fresnel
Lamp Type:	LED
Lens Diameter:	175 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	Hybrid: 384x374x423 mm / 480x400x400 mm Active: 349x374x423 mm / 480x400x400 mm
Packed Volume:	76800 ccm
Weight Stand-Mount:	Hybrid: 10,9 kg; Active: 8,2 kg
Weight P.O.:	Hybrid: 12,5 kg, Active: 9,8 kg
Protection Class:	I/IP 20
Certifications:	CE, CB, GS, cNRTL, Fcc, ISO9001:2000

HYBRID	allows for cooling both passively (without a fan) and actively (with a fan). This unit is larger and heavier than the Active version but can run completely silently if needed.
ACTIVE	allows for only active cooling (with a fan). This unit is smaller and lighter than the Hybrid version but cannot run passively (without the fan).
HANGING	versions include the following base configuration: 28 mm Spigot (Junior Pin), 1,5 m (5 ft) Cable with Bare Ends, Integrated 5-Pin DMX In and Thru.
POLE-OPERATED	versions include the following base configuration: Pole Operation for Pan, Tilt and Focus, 28 mm Spigot (Junior Pin), 1,5 m (5 ft) Cable with Bare Ends, Integrated 5-Pin DMX In and Thru.
STAND-MOUNT	versions include the following base configuration: 28 mm Spigot (Junior Pin), Inline Switch, Integrated 5-Pin DMX In and Thru.

ARRI L7-C LED FRESNEL

Color Controllable LED Fresnel Tuneable White (2800 K - 10,000 K and Green-Magenta Adjustment) + Full RGBW Color Gamut; available in both Hybrid and Active Cooling.

Ident. No.	Description	Price / EURO
L1.31330CC	L7-C Hybrid, Hanging, Blue-Silver, Bare Ends	2.240,00 €
L1.31335CC	L7-C Hybrid, Hanging, Black, Bare Ends	2.240,00 €
L1.31330CR	L7-C Hybrid, Pole Operated, Blue-Silver, Bare Ends	2.320,00 €
L1.31335CR	L7-C Hybrid, Pole Operated, Black, Bare Ends	2.320,00 €
L1.31330CD	L7-C Hybrid, Stand-Mount, Blue-Silver, 3 m Cable, Schuko Connector	2.240,00 €
L1.31330CA	L7-C Hybrid, Stand-Mount, Blue-Silver, 7 m Cable, Edison (American) Connector	2.265,00 €
L1.31530CC	L7-C Active, Hanging, Blue-Silver, Bare Ends	2.240,00 €
L1.31535CC	L7-C Active, Hanging, Black, Bare Ends	2.240,00 €
L1.31530CR	L7-C Active, Pole Operated, Blue-Silver, Bare Ends	2.320,00 €
L1.31535CR	L7-C Active, Pole Operated, Black, Bare Ends	2.320,00 €
L1.31530CD	L7-C Active, Stand-Mount, Blue-Silver, 3 m Cable, Schuko Connector	2.240,00 €
L1.31530CA	L7-C Active, Stand-Mount, Blue-Silver, 7 m Cable, Edison (American) Connector	2.265,00 €

Please note that barndoors are not included with L7 and have to be ordered separately.

ARRI L7-TT LED FRESNEL

Tuneable Tungsten - Tuneable White (2600 K - 3600 K and Green-Magenta Adjustment); available in both Hybrid and Active Cooling.

Ident. No.	Description	Price / EURO
L1.31330TC	L7-TT Hybrid, Hanging, Blue-Silver, Bare Ends	2.240,00 €
L1.31335TC	L7-TT Hybrid, Hanging, Black, Bare Ends	2.240,00 €
L1.31330TR	L7-TT Hybrid, Pole Operated, Blue-Silver, Bare Ends	2.320,00 €
L1.31335TR	L7-TT Hybrid, Pole Operated, Black, Bare Ends	2.320,00 €
L1.31330TD	L7-TT Hybrid, Stand-Mount, Blue-Silver, 3 m Cable, Schuko Connector	2.240,00 €
L1.31330TA	L7-TT Hybrid, Stand-Mount, Blue-Silver, 7 m Cable, Edison (American) Connector	2.265,00 €
L1.31530TC	L7-TT Active, Hanging, Blue-Silver, Bare Ends	2.240,00 €
L1.31535TC	L7-TT Active, Hanging, Black, Bare Ends	2.240,00 €
L1.31530TR	L7-TT Active, Pole Operated, Blue-Silver, Bare Ends	2.320,00 €
L1.31535TR	L7-TT Active, Pole Operated, Black, Bare Ends	2.320,00 €
L1.31530TD	L7-TT Active, Stand-Mount, Blue-Silver, 3 m Cable, Schuko Connector	2.240,00 €
L1.31530TA	L7-TT Active, Stand-Mount, Blue-Silver, 7 m Cable, Edison (American) Connector	2.265,00 €

Please note that barndoors are not included with L7 and have to be ordered separately.

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.39700.0	8-leaf barndoors, True Blue, L7 / T1, 197 mm	120,00 €
L2.39670.0	4-leaf barndoors, True Blue, L7 / T1, 197 mm	80,00 €
L2.79690.0	Filter Frame, L7 / T1, 197 mm	21,00 €
L2.76809.0	Safety Cable, 600 mm length, 3 mm diameter	17,00 €

LED LoCaster



Type of Lamphead:	ARRI CASTER
Lamp Type:	LED
Mounting:	Thread 3/8"
Size (HxWxL)/Packed Size:	96 x 70 x 218 mm / 115 x 75x 235 mm
Packed Volume:	1938,75 ccm
Weight/Shipping Weight:	1,0 kg / 1,2 kg
Protection Class:	I/IP 20
Certifications:	CE

LED LoCaster

Ident.-No.	Description	Version	Colour	Voltage	Price / EURO
L1.30190.0	LoCaster 35 W	Onboard Controls	black	11-36VDC	750,00 €
L1.30195.0	BroadCaster 35 W	Power DMX Control	black	11-36VDC	750,00 €

COMPONENTS:


Ident. No.	Description	Price / EURO
L2.30081.0	PowerDMX extension cable, XLR 4-Pin, 3 m	60,00 €
L2.30071.0	PowerDMX extension cable, XLR 4-Pin, 5 m	70,00 €
L2.30105.0	Batterie cable LoCaster, 4-Pin	58,00 €
L2.30083.0	Caster series power supply, XLR 4-Pin 24VDC / 60 W, 100-240 VAC 50/60 Hz	100,00 €
L2.30084.0	Caster series power supply, 8-Panel, 3 x XLR 4-Pin 24VDC/300 W, 100-240 VAC 50/60 Hz, Schuko	800,00 €
L2.30085.0	Caster battery pack, rechargeable, NiMH 30VDC 81Wh	550,00 €
L2.30086.0	Caster battery charger, 100-240VAC 50/60 Hz	240,00 €
L2.30061.0	2-leaf barndoor for Caster series, with gel frame slot	50,00 €
L2.30059.0	Filterframe for Caster series, 2-leaf barndoor	28,00 €
L2.30058.0	Folding intensifier for Caster series	130,00 €
L2.72937.0	Car power adapter for LoCaster, cigarette lighter to XLR 4-pin	34,50 €
L2.30992.0	Swiveling / Noga Arm	110,00 €
L2.30991.0	Hot Shoe, 3/8" adapter	48,00 €
L2.88681.0	Adapter spigot, 1/4" + 3/8" female threads	4,00 €

LED LoCaster (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.88639.0	Female adapter, 16 mm	12,00 €
L2.30089.0	Caster stirrup with battery pack attachment	76,50 €
L2.30088.0	Adapter stud 16 mm / 120 mm for Gobo head mounting	30,00 €
L2.30099.0	Case LoCaster	140,00 €
L2.76100.0	Superclamp with plate for EB / EBB	85,00 €
L2.76975.0	Compact Stand Code 050KA LS.1, height 71...235 cm, spigot 16 mm	65,00 €
L2.8803653	Master stand, 1004BAC	99,00 €
L2.76985.0	ARRI Super Clamp Code 035	26,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €
L2.76809.0	Safety cable with carabiner, 60 cm, diameter: 3 mm	17,00 €
L2.30130.0	Multi Connector joining bracket for 2x LED Casters	56,50 €

DAYLIGHT



TRUE BLUE D5



Type of Lamphead:	Fresnel, 575 W
Lamp Type:	Metal Halide 575 W/SE
Lamp Base:	G22
Lens Diameter:	150 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	359 x 327 x 223 mm / 390 x 390 x 360 mm
Packed Volume:	54756 ccm
Weight/Shipping Weight:	6,1 kg / 7,2 kg
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT FRESNEL LIGHTS

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.33770.B	D5	MAN	blue/silver	VEAM	1.755,00 €
L1.33770.F	D5	MAN	blue/silver	Schaltbau (GTV-Norm)	1.755,00 €
L1.33775.B	D5	MAN	black	VEAM	1.755,00 €
L1.33775.F	D5	MAN	black	Schaltbau (GTV-Norm)	1.755,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76125.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, blue standard housing	2.635,00 €
L2.76126.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, DMX, blue standard housing	3.025,00 €
L2.76425.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, blue standard housing	2.925,00 €
L2.76426.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, DMX, blue standard housing	3.315,00 €
L2.76427.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, Schaltbau, ALF, blue standard housing	2.925,00 €
L2.39670.0	4-leaf barndoor True Blue, black, 197 mm	80,00 €
L2.39700.0	8-leaf barndoor True Blue, black, 197 mm	120,00 €
L2.79690.0	Filter frame, 197 mm	21,00 €
L2.79660.0	Set of 4 scrims (197 mm / 7 3/4")	90,00 €
L2.79660.A	Full Single (197 mm / 7 3/4")	23,00 €

TRUE BLUE D5 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.79660.B	Full Double (197 mm / 7 3/4")	25,00 €
L2.79660.C	Half Single (197 mm / 7 3/4")	23,00 €
L2.79660.D	Half Double (197 mm / 7 3/4")	25,00 €
L2.79680.0	Snoot, 197 mm	85,00 €
L2.76246.0	Chimera Speed Ring Circular 7 3/4" (197 mm) for Video Pro Lightbanks 9190	poa €
L2.70844.0	Chimera Lightbank Video Pro Plus "S", 24"x32" (60x80 cm) depth: 24" (60 cm) incl. 3 front screens 8125	390,00 €
L2.89060.0	Chimera Speed Ring Circular 7 3/4" (197 mm) for Daylite Junior Lightbanks 9192	poa €
L2.89053.0	Chimera Lightbank Daylite Junior Plus S 24"x32" (60 x 80 cm) depth: 27" (70 cm) incl. 3 front screens 8225 (fits Speedring 9192)	poa €
L2.89253L0	Lamp HMI 575 Osram G22 Longlife (1.000 h)	poa €
L2.89253.P	Lamp MSR 575 G22 Philips HR	poa €
L2.75600.0	Head to ballast cable, 575 / 1200 / 1800 W, 7 m with international connector	280,00 €
L2.75600.C	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with international connector	355,00 €
L2.75600.F	Head to ballast cable, 575 / 1200 / 1800 W, 7 m, with Schaltbau German TV standard connector	280,00 €
L2.75600.E	Head to ballast cable, 575/1200/1800 W,15 m, with Schaltbau German TV standard connector	355,00 €
L2.88717.0	Universal black cine stand (5/8" & 1 5/8" Fittings) 007BA (LS.4)	125,00 €
L2.76100.0	Superclamp with plate for EB	85,00 €
L2.76985.0	ARRI Super Clamp Code 035	26,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €
L2.76989.0	ARRI Swivelling C Clamp C150	109,00 €
L2.76809.0	Safety cable with carabiner, 600 mm length, 3 mm thick	17,00 €



TRUE BLUE D12

Type of Lamphead:	Fresnel, 1200 W
Lamp Type:	Metal Halide 1200 W/SE
Lamp Base:	G38
Lens Diameter:	175 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	511 x 375 x 325 mm / 460 x 400 x 650 mm
Packed Volume:	119600 ccm
Weight/Shipping Weight:	9,9 kg/12,3 kg
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT FRESNEL LIGHTS

(single ended, cable length 0,6 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.33730.B	D12	MAN	blue/silver	VEAM	2.435,00 €
L1.33730.F	D12	MAN	blue/silver	Schaltbau (GTV-Norm)	2.435,00 €
L1.33735.B	D12	MAN	black	VEAM	2.435,00 €
L1.33735.F	D12	MAN	black	Schaltbau (GTV-Norm)	2.435,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76125.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, blue standard housing	2.635,00 €
L2.76126.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, DMX, blue standard housing	3.025,00 €
L2.76425.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, blue standard housing	2.925,00 €
L2.76426.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, DMX, blue standard housing	3.315,00 €
L2.76427.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, Schaltbau, ALF, blue standard housing	2.925,00 €
L2.39870.0	4-leaf barndoor True Blue, black, 245 mm	90,00 €
L2.39900.0	8-leaf barndoor True Blue, black, 245 mm	150,00 €
L2.79890.0	Filter frame, 230 mm	26,00 €
L2.79860.0	Set of 4 scrims (230 mm / 9")	95,00 €
L2.79860.A	Full Single (230 mm / 9")	24,00 €

TRUE BLUE D12 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.79860.B	Full Double (230 mm / 9")	25,00 €
L2.79860.C	Half Single (230 mm / 9")	24,00 €
L2.79860.D	Half Double (230 mm / 9")	25,00 €
L2.79880.0	Snoot, 245 mm	105,00 €
L2.76248.0	Chimera Speed Ring Circular 9 5/8" (245 mm) for Quartz/Daylite Lightbanks 9205	poa €
L2.89254L0	Lamp HMI 1200 (540670) Osram G38, Longlife (1.000 h)	poa €
L2.89254.G	Lamp CSR 1200 GE CSR 1200/SE	poa €
L2.75600.0	Head to ballast cable, 575 / 1200 / 1800 W, 7 m with international connector	280,00 €
L2.75600.C	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with international connector	355,00 €
L2.75600.F	Head to ballast cable, 575 / 1200 / 1800 W, 7 m, with Schaltbau German TV standard connector	280,00 €
L2.75600.E	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with Schaltbau German TV standard connector	355,00 €
L2.88717.0	Universal black cine stand (5/8" & 1 5/8" Fittings) 007BA (LS.4)	125,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.76809.0	Safety cable with carabiner, 600 mm length, 3 mm thick	17,00 €



TRUE BLUE D25

Type of Lamphead:	Fresnel, 2500 W
Lamp Type:	Metal Halide 2500 W/SE
Lamp Base:	G38
Lens Diameter:	250 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	643 x 464 x 390 mm / 550 x 510 x 690 mm
Packed Volume:	193545 ccm
Weight/Shipping Weight:	14 kg / 18 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT FRESNEL LIGHTS

(single ended, cable length 0,6 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.33670.B	D25	MAN	blue/silver	VEAM	3.420,00 €
L1.33670.F	D25	MAN	blue/silver	Schaltbau (GTV-Norm)	3.420,00 €
L1.33675.B	D25	MAN	black	VEAM	3.420,00 €
L1.33675.F	D25	MAN	black	Schaltbau (GTV-Norm)	3.420,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76695.0	EB 2500 Baby, 180-250V, VEAM, ALF, blue standard housing	4.880,00 €
L2.76635.0	EB 2500, 90-125 V/180-250 V, VEAM, ALF, blue standard housing	5.520,00 €
L2.76640.0	EB 2500/4000, 180-250 V, VEAM, ALF, blue standard housing	5.855,00 €
L2.76641.0	EB 2500/4000, 180-250 V, VEAM, ALF, DMX, blue standard housing	6.240,00 €
L2.40950.0	4-leaf barndoor True Blue, black, 344 mm	100,00 €
L2.40960.0	8-leaf barndoor True Blue, black, 344 mm	210,00 €
L2.80970.0	Filter frame, 330 mm	38,00 €
L2.80980.0	Set of 4 scrims (330 mm / 13")	135,00 €
L2.80980.A	Full Single (330 mm / 13")	35,00 €
L2.80980.B	Full Double (330 mm / 13")	40,00 €
L2.80980.C	Half Single (330 mm / 13")	35,00 €
L2.80980.D	Half Double (330 mm / 13")	40,00 €

TRUE BLUE D25 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.80975.0	Snoot, 344 mm	poa €
L2.76247.0	Chimera Speed Ring Circular 13 1/2" (343 mm) for Quartz/Dalite Lightbanks 9305	poa €
L2.89054.0	Chimera Lightbank Quartz Plus S 24"x32" (60x80 cm) depth: 22" (55 cm) incl. 3 front screens 8635	poa €
L2.89255.0	Lamp HMI 2500 54070-0 Osram G38	poa €
L2.89255.G	Lamp CSR 2500 GE CSR2500/SE/HR	poa €
L2.76100.0	Superclamp with plate for EB	85,00 €
L2.75620.0	Head to ballast cable, 2500 / 4000 W, 7 m, international connector	290,00 €
L2.75620.C	Head to ballast cable, 2500 / 4000 W, 15 m, international connector	390,00 €
L2.75620.F	Head to ballast cable, 2500 / 4000 W, 7 m, Schaltbau German TV standard connector	300,00 €
L2.75620.E	Head to ballast cable, 2500 / 4000 W, 15 m, Schaltbau German TV connector	390,00 €
L2.76979.0	Stand AS 5 chromed steel MA 126 A LS.126A 2 sections, height 131...333 cm, closed 131 cm, spigot 16 mm and socket 28 mm, max. load 20 kg	160,00 €
L2.76980.0	Braked wheels for combo/roller stands (Plated Finish) LA.90000.A	128,00 €
L2.76990.0	Safety cable for C clamp C155 (1 m long)	19,00 €



TRUE BLUE D40

Type of Lamphead:	Fresnel, 4000 W
Lamp Type:	Metal Halide 4000 W/SE
Lamp Base:	G38
Lens Diameter:	300 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	727 x 534 x 403 mm / 600 x 600 x 770 mm
Packed Volume:	277200 ccm
Weight/Shipping Weight:	17,5 kg / 22,0 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT FRESNEL LIGHTS

(single ended, cable length 0,6 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.34000.B	D40	MAN	blue/silver	VEAM	4.555,00 €
L1.34000.F	D40	MAN	blue/silver	Schaltbau (GTV-Norm)	4.555,00 €
L1.34005.B	D40	MAN	black	VEAM	4.555,00 €
L1.34005.F	D40	MAN	black	Schaltbau (GTV-Norm)	4.555,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76640.0	EB 2500/4000, 180-250 V, VEAM, ALF, blue standard housing	5.855,00 €
L2.76641.0	EB 2500/4000, 180-250 V, VEAM, ALF, DMX, blue standard housing	6.240,00 €
L2.41200.0	4-leaf barndoor True Blue, black, 413 mm	120,00 €
L2.81210.0	8-leaf barndoor True Blue, black, 413 mm	230,00 €
L2.81225.0	Snoot, 413 mm	poa €
L2.81220.0	Filter frame, 400 mm	40,00 €
L2.81230.0	Set of 4 scrims (400 mm / 15 3/4")	155,00 €
L2.81230.A	Full Single (400 mm / 15 3/4")	40,00 €
L2.81230.B	Full Double (400 mm / 15 3/4")	45,00 €
L2.81230.C	Half Single (400 mm / 15 3/4")	40,00 €
L2.81230.D	Half Double (400 mm / 15 3/4")	45,00 €
L2.89062.0	Chimera Speed Ring Circular 16 1/8" (411 mm) for Quartz/Daylite Lightbanks 9365	poa €

TRUE BLUE D40 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89054.0	Chimera Lightbank Quartz Plus S 24"x32" (60x80 cm) depth: 22" (55 cm) incl. 3 front screens 8635	poa €
L2.89058.0	Chimera Lightbank Daylite Plus M 36"x48" (90x120 cm) depth: 40" (100 cm) incl. 3 front screens 8635	poa €
L2.89059.0	Chimera Lightbank Daylite Plus L 54"x72" (135x180 cm) depth: 48" (120 cm) incl. 3 front screens 8645	poa €
L2.89256.0	Lamp HMI 4000 54072 Osram G38	poa €
L2.89256.G	Lamp CSR 4000 W (200 V) GE HR, with UV protection, 27765, replacement for 48466	poa €
L2.79946.0	UV-Protection glass round between Luminaire and Louvre Shutter	540,00 €
L2.75620.0	Head to ballast cable, 2500 / 4000 W, 7 m, international connector	290,00 €
L2.75620.C	Head to ballast cable, 2500 / 4000 W, 15 m, international connector	390,00 €
L2.75620.F	Head to ballast cable, 2500 / 4000 W, 7 m, Schaltbau German TV standard connector	300,00 €
L2.75620.E	Head to ballast cable, 2500 / 4000 W, 15 m, Schaltbau German TV connector	390,00 €
L2.8800561	ARRI wind-up stand with wheels Code 083NWA LS.6, 1 section, height 139...247 cm, closed 153 cm, spigot 16 mm and socket 28 mm, max. load 45 kg	440,00 €
L2.76959.0	Braked wheel Set for AS 6 104	62,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.80864.0	Safety cable with carabiner, 1 m length, 5 mm thick	15,00 €



M18

Type of Lamphead:	Open Face with Facetted Reflector, 1800 W
Lamp Type:	Metal Halide 1800 W/SE Metal Halide 1200 W/SE
Lamp Base:	G38
Lens Diameter:	250 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	567 x 387 x 388 mm / 530 x 510 x 555 mm
Packed Volume:	150017 ccm
Weight/Shipping Weight:	10,5 kg / 15,5 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT OPEN FACE

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.37600.B	M18	MAN	blue/silver	VEAM	3.050,00 €
L1.37600.F	M18	MAN	blue/silver	Schaltbau (GTV-Norm)	3.050,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76625.0	EB 1200/1800, 90-125 V / 180-250 V, Schuko-Plug, VEAM, ALF, CCL, blue standard housing	4.050,00 €
L2.40950.0	4-leaf barndoor True Blue, black, 344 mm	100,00 €
L2.40960.0	8-leaf barndoor True Blue, black, 344 mm	210,00 €
L2.80970.0	Filter frame, 330 mm	38,00 €
L2.37670.0	Spillring M18, 330 mm	75,00 €
L2.80980.0	Set of 4 scrims (330 mm / 13")	135,00 €
L2.80980.A	Full Single (330 mm / 13")	35,00 €
L2.80980.B	Full Double (330 mm / 13")	40,00 €
L2.80980.C	Half Single (330 mm / 13")	35,00 €
L2.80980.D	Half Double (330 mm / 13")	40,00 €
L2.76247.0	Chimera Speed Ring Circular 13 1/2" (343 mm) for Quartz/Dalite Lightbanks 9305	poa €
L2.89054.0	Chimera Lightbank Quartz Plus S 24"x32" (60x80 cm) depth: 22" (55 cm) incl. 3 front screens 8635	poa €
L2.89055.0	Chimera Lightbank Quartz Plus M 36"x48" (90x120 cm) depth: 29" (75 cm) incl. 3 front screens 8435	poa €
L2.37590.0	Lamp HMI 1800 /SE Osram G38	poa €

M18 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89254L0	Lamp HMI 1200 (540670) Osram G38, Longlife (1.000 h)	poa €
L2.89254.G	Lamp CSR 1200 GE CSR 1200 / SE	poa €
L2.75600.0	Head to ballast cable, 575 / 1200 / 1800 W, 7 m with international connector	280,00 €
L2.75600.C	Head to ballast cable, 575 / 1200 / 1800 W 15 m, with international connector	355,00 €
L2.75600.F	Head to ballast cable, 575 / 1200 / 1800 W, 7 m, with Schaltbau German TV standard connector	280,00 €
L2.75600.E	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with Schaltbau German TV standard connector	355,00 €
L2.76979.0	Stand AS 5 chromed steel MA 126 A LS.126A, 2 sections,height 131...333 cm, closed 131 cm, spigot 16 mm and socket 28 mm, max. load 20 kg	160,00 €
L2.76980.0	Braked wheels for combo/roller stands (Plated Finish) LA.90000.A	128,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.76990.0	Safety cable for C clamp C155 (1 m long)	19,00 €
L2.37682.2	Conversion Kit from AS18 to M18, MAX Reflector, three brackets and one top latch for M18	190,00 €



M40

Type of Lamphead:	Open Face with Facetted Reflector, 4000 W
Lamp Type:	Metal Halide 4000 W/SE Metal Halide 2500 W/SE
Lamp Base:	G38
Lens Diameter:	300
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	670 x 402 x 511 mm / 660 x 595 x 665 mm
Packed Volume:	261146 ccm
Weight/Shipping Weight:	19 kg / 34 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT OPEN FACE

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.37400.B	M40	MAN	blue/silver	VEAM	4.875,00 €
L1.37400.F	M40	MAN	blue/silver	Schaltbau	4.875,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76650.0	EB 2500/4000, 180-250 V, VEAM, ALF, CCL, blue standard housing	5.855,00 €
L2.76640.0	EB 2500/4000, 180-250 V, VEAM, ALF, blue standard housing	5.855,00 €
L2.76641.0	EB 2500/4000, 180-250 V, VEAM, ALF, DMX, blue standard housing	6.240,00 €
L2.41200.0	4-leaf barndoor True Blue, black, 413 mm	120,00 €
L2.81210.0	8-leaf barndoor True Blue, black, 413 mm	230,00 €
L2.37305.0	Spill ring for M 40/25, 400 mm	100,00 €
L2.81220.0	Filter frame, 400 mm	40,00 €
L2.81230.0	Set of 4 scrims (400 mm / 15 3/4")	155,00 €
L2.81230.A	Full Single (400 mm / 15 3/4")	40,00 €
L2.81230.B	Full Double (400 mm / 15 3/4")	45,00 €
L2.81230.C	Half Single (400 mm / 15 3/4")	40,00 €
L2.81230.D	Half Double (400 mm / 15 3/4")	45,00 €
L2.89062.0	Chimera Speed Ring Circular 411 mm (16 1/8") for Quartz/Daylite Lightbanks 9365	poa €
L2.89055.0	Chimera Lightbank Quartz Plus M 90x120 cm (36"x48") Tiefe: 75 cm (29") inkl. 3 Frostscheiben 8435	poa €

M40 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89255.0	Lamp HMI 2500 54070-0 Osram G38	poa €
L2.89255.G	Lamp CSR 2500 GE CSR2500 / SE / HR	poa €
L2.89256.0	Lamp HMI 4000 54072 Osram G38	poa €
L2.89256.G	CSR Lamp 4000W (200V) GE HR, with UV protection, replacement for 27765	poa €
L2.77440.0	Adapter for use of switchable 2500/4000 W-lamphead with male Cannon-VEAM-connector on CB 2500 with female Cannon-Veam-connector (Switchable lampheads like ARRISUN or X 40/25 are connected internal as 4000 W-lampheads.)	255,00 €
L2.75620.0	Head to ballast cable, 2500 / 4000 W, 7 m, international connector	290,00 €
L2.75620.C	Head to ballast cable, 2500 / 4000 W, 15 m, international connector	390,00 €
L2.75620.F	Head to ballast cable, 2500 / 4000 W, 7 m, Schaltbau German TV standard connector	300,00 €
L2.75620.E	Head to ballast cable, 2500 / 4000 W, 15 m, Schaltbau German TV connector	390,00 €
L2.8800561	ARRI wind-up stand with wheels Code 083NWA LS.6, 1 section, height 139...247 cm, closed 153 cm, spigot 16 mm and socket 28 mm, max. load 45 kg	440,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.80864.0	Safety cable with carabiner, 1 m length, 5 mm thick	15,00 €



M90

Type of Lamphead:	Open Face with Facetted Reflector, 9000 W
Lamp Type:	Metal Halide 9000 W/SE GX38 Metal Halide 6000 W/SE GX38
Lamp Base:	G38
Lens Diameter:	500 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	947 x 713 x 716 mm / 930 x 790 x 910 mm
Packed Volume:	668577 ccm
Weight/Shipping Weight:	60,0 kg / 75,0 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT OPEN FACE

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.37480.B	M90	MAN	blue/silver	VEAM	6.990,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76181.0	EB 6/9, CCL, ALF, 190 - 250 V, DMX, VEAM	10.500,00 €
L2.76181KH	EB 6/9, CCL, ALF, 190 - 250 V, DMX, 1000Hz ff, VEAM	11.650,00 €
L2.37560.0	4-leaf Barndoor, 584 mm	540,00 €
L2.37561.0	Spillring	120,00 €
L2.37563.0	M90 Scrim Set (4pcs), 571 mm / 22,5"	290,00 €
L2.37563.A	Scrim, full single, 571 mm / 22,5"	79,00 €
L2.37563.B	Scrim, full double, 571 mm / 22,5"	79,00 €
L2.37563.C	Scrim, half single, 571 mm / 22,5"	79,00 €
L2.37563.D	Scrim, half double, 571 mm / 22,5"	79,00 €
L2.37558.0	MaxMover Adapter (available Q4 2013)	poa €
L2.37475.0	Chimera Speed Ring (available Q4 2013)	poa €
L2.37476.0	Extention Brackets (available Q4 2013)	poa €
L2.77940.B	Head-to-ballast cable, 10 m, VEAM	750,00 €
L2.77940.A	Head-to-ballast cable, 15 m, VEAM	885,00 €
L2.37482.0	Lamp HMI 9000 W, SE, GX38	poa €



ARRIMAX 18/12

Type of Lamphead:	Open Face with Facetted Reflector, 18000 W
Lamp Type:	Metal Halide 18000 W / SE Metal Halide 12000 W / SE
Lamp Base:	GX51/GX38
Lens Diameter:	630 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	1051 x 784 x 942 mm / 1135 x 1050 x 1170 mm
Packed Volume:	1394350 ccm
Weight/Shipping Weight:	65,0 kg / 101,0 (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT OPEN FACE

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.37950.B	ARRIMAX 18/12	MAN	blau/silber	VEAM	15.370,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76295.0	EB 12/18 kW, 190-250 V, VEAM, ALF, DMX for ARRIMAX, with trolley, Indication Lamp Power 12/18 kW	14.630,00 €
L2.71100.0	4-leaf barndoor, black, 740 mm	635,00 €
L2.37940.0	Spot reflector, 8° - 15° HPA	475,00 €
L2.37941.0	Snoot	715,00 €
L2.71115.0	Scrim set, full double, half double, full single, half single, 740 mm / 29"	325,00 €
L2.71115.A	Scrim, full single, 740 mm / 29"	80,00 €
L2.71115.B	Scrim, full double, 740 mm / 29"	85,00 €
L2.71115.C	Scrim, half single, 740 mm / 29"	80,00 €
L2.71115.D	Scrim, half double, 740 mm / 29"	85,00 €
L2.89261.0	Lamp HMI 12000 SE Osram GX 51	poa €
L2.89262.0	Lamp HMI 18000 SE OSRAM GX51	poa €
L2.89259.G	CSR Lampe 12000W/SE/HR GE	poa €
L2.89262.G	Lamp CSR 18000 SE GE GX51	poa €
L2.82294.0	Head to ballast cable, 15 m, 12000 / 18000 W	970,00 €
L2.82294.A	Head to ballast cable, 20 m, 12000 / 18000 W	poa €



ARRI DAYLIGHT 18/12

Type of Lamphead:	Fresnel, 18000 W
Lamp Type:	Metal Halide 18000 W/DE Metal Halide 12000 W/DE
Lamp Base:	S 30
Lens Diameter:	625 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	1058 x 1040 x 825 mm 1135 x 1170 x 1050 mm
Packed Volume:	1394350 ccm
Weight/Shipping Weight:	69,5 kg / 114,0 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT FRESNEL

(double ended, cable length 1 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.71160.B	ARRI DAYLIGHT 18/12	MAN	blue/silver	VEAM	13.250,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76290.0	EB 12/18 kW, 190-250 V, VEAM, ALF, with trolley	13.655,00 €
L2.76295.0	EB 12/18 kW, 190-250 V, VEAM, ALF, DMX for ARRIMAX, with trolley, Indication Lamp Power 12/18 kW	14.630,00 €
L2.71100.0	4-leaf barndoor, black, 740 mm	635,00 €
L2.71115.0	Scrim set, full double, half double, full single, half single, 740 mm / 29"	325,00 €
L2.71115.A	Scrim, full single, 740 mm / 29"	80,00 €
L2.71115.B	Scrim, full double, 740 mm / 29"	85,00 €
L2.71115.C	Scrim, half single, 740 mm / 29"	80,00 €
L2.71115.D	Scrim, half double, 740 mm / 29"	85,00 €
L2.89258.G	Lamp CSR 12000 HMI DE GE 160 V	poa €
L2.89258.0	Lamp HMI 12000 S30x70 Osram	poa €
L2.89260.0	Lamp HMI 18000 S30x70 Osram	poa €
L2.89260.K	Lamp CSR 18000 DE (225 V) GE CSR DI 180 GS	poa €
L2.82294.0	Head to ballast cable, 15 m, 12000 / 18000 W	970,00 €
L2.82294.A	Head to ballast cable, 20 m, 12000 / 18000 W	poa €
L2.71195.0	Retrofit UV-protection glass without case; for the change from fresnel lens to uv-protection glass to get hard shadows	1.100,00 €

COMPACT 200



Type of Lamphead:	Fresnel, 200 W
Lamp Type:	Metal Halide 200 W/SE
Lamp Base:	GZY 9,5
Lens Diameter:	112 mm
Mounting:	Socket 16 mm
Size (HxWxL)/Packed Size:	294 x 218 x 193 mm / 360 x 260 x 290 mm
Packed Volume:	27140 ccm
Weight/Shipping Weight:	2,3 kg / 3,1 kg
Protection Class:	I/IP 23
Certifications:	CE

DAYLIGHT FRESNEL

(double ended, cable length 1 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.73330.B	COMPACT 200	MAN	blue/silver	Amphenol	1.325,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76115.0	EB 200, 90-130 V/180-250 V, Schuko-Plug, ALF, IP23, without fan, blue standard housing	1.255,00 €
L2.76013.B	EB 125/200, 90-125 V/180-250 V, Schuko-Plug, ALF, Aluminium profile housing	1.075,00 €
L2.76040.B	EBB 125/200, 20-34 VDC, 150 Hz, XLR-4 plug, aluminium profile housing	1.075,00 €
L2.76270.B	EBB 200/400, 20-34 VDC, 110 Hz, 2 x XLR-4 plug, aluminium profile housing	1.805,00 €
L2.79470.0	4-leaf barndoor, black, 168 mm	59,00 €
L2.79500.0	8-leaf barndoor, black, 168 mm	110,00 €
L2.79471.0	4-leaf barndoor, outsides silver, 168 mm	115,00 €
L2.79490.0	Filter frame, 168 mm	20,00 €
L2.79460.0	Set of 4 scrims (168 mm / 6 5/8")	75,00 €
L2.79460.A	Full Single (168 mm / 6 5/8")	19,00 €
L2.79460.B	Full Double (168 mm / 6 5/8")	22,00 €
L2.79460.C	Half Single (168 mm / 6 5/8")	19,00 €
L2.79460.D	Half Double (168 mm / 6 5/8")	22,00 €
L2.89068.0	Chimera Speed Ring Circular 6 1/2" (168 mm) for Video Pro Lightbanks 9670	poa €

COMPACT 200 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89074.0	Chimera Speed Ring Circular Metal 6 1/2" (168 mm) for Video Pro Lightbanks 9670AL	poa €
L2.76106.0	Chimera Lightbank Video Pro Plus XXS 12"x16" (30x40 cm) depth: 10" (25 cm) incl. front screens 8105	poa €
L2.76719.0	Chimera Lightbank Video Pro Plus XS 16"x22" (40x55 cm) depth: 12" (30 cm) incl. front screens 8115	poa €
L2.70844.0	Chimera Lightbank Video Pro Plus "S", 24"x32" (60x80 cm) depth: 24" (60 cm) incl. 3 front screens 8125	390,00 €
L2.89069.0	Chimera Speed Ring Circular 6 1/2" (168 mm) for Daylite Junior Lightbanks 9672	poa €
L2.79480.0	Snoot, 168 mm	65,00 €
L2.76100.0	Superclamp with plate for EB	85,00 €
L2.74144.0	Ballast mount bracket	65,00 €
L2.73490.0	Universal clamp with spigot 16 mm (camera mount)	125,00 €
L2.89251.0	Lamp HMI 200 W Osram GZY 9,5	poa €
L2.89251.P	Lamp MSR 200 GZY 9,5 Philips HR	poa €
L2.73372.0	Head to ballast cable, 200 W, 7 m	200,00 €
L2.73365.0	Compact 200 Kit Case, empty	375,00 €
L2.76976.0	Blk medium kit stand (Maxi) Code 050A LS.2 2 sections, height 110...260 cm, closed 88 cm, spigot 16 mm, max. load 5 kg	60,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €
L2.76809.0	Safety cable with carabiner, 600 mm length, 3 mm thick	17,00 €



ARRI COMPACT 6000 PLUS

Type of Lamphead:	Fresnel, 6000 W
Lamp Type:	Metal Halide 6000 W/SE
Lamp Base:	GX38
Lens Diameter:	420 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	790 x 694 x 590 mm / 780 x 730 x 700 mm
Packed Volume:	398580 ccm
Weight/Shipping Weight:	30,5 kg / 38,5 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT FRESNEL LIGHTS

(single ended, cable length 0,8 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.75720.B	COMPACT 6000 Plus	MAN	blue/silver	VEAM	8.160,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76193.0	EB 6000, 180-250 V, VEAM, ALF, blue standard housing	8.780,00 €
L2.76172.0	EB 6/12 kW, 90-125 (only 6 kW!), 180-250 V, VEAM, ALF, blue standard housing	10.630,00 €
L2.76182.0	EB 6/12 kW, 90-125 (only 6 kW!), 180-250 V, VEAM, ALF, DMX, blue standard housing	11.020,00 €
L2.82150.0	4-leaf barndoor, black, 510 mm	410,00 €
L2.82155.0	Filter frame, 495 mm	105,00 €
L2.82160.0	Set of 4 scrims (495 mm / 19 1/2")	205,00 €
L2.82160.A	Full Single (495 mm / 19 1/2")	55,00 €
L2.82160.B	Full Double (495 mm / 19 1/2")	55,00 €
L2.82160.C	Half Single (495 mm / 19 1/2")	55,00 €
L2.82160.D	Half Double (495 mm / 19 1/2")	55,00 €
L2.89063.0	Chimera Speed Ring Circular 20" (508 mm) for Quartz/Daylite Lightbanks 9435	poa €
L2.89058.0	Chimera Lightbank Daylite Plus M 36"x48" (90x120 cm) depth: 40" (100 cm) incl. 3 front screens 8635	poa €
L2.89055.0	Chimera Lightbank Quartz Plus M 36"x48" (90x120 cm) depth: 29" (75 cm) incl. 3 front screens 8435	poa €
L2.89257.0	Lamp HMI 6000 SE G38 Osram	poa €

ARRI COMPACT 6000 PLUS (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89257.W	Lamp HMI 6000 G38 Wolfram	poa €
L2.89257.G	Lamp HMI 6000 G38 GE	poa €
L2.77940.0	Head to ballast cable, 7 m, 6000 W	615,00 €
L2.77940.A	Head to ballast cable, 15 m, 6000 W	885,00 €
L2.8800561	ARRI wind-up stand with wheels Code 083NWA LS.6 1 section, height 139...247 cm, closed 153 cm, spigot 16 mm and socket 28 mm, max. load 45 kg	440,00 €
L2.76959.0	Braked wheel Set for AS 6 104	62,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.80864.0	Safety cable with carabiner, 1 m length, 5 mm thick	15,00 €



ARRI COMPACT 12000 BABY

Type of Lamphead:	Fresnel, 12000 W
Lamp Type:	Metal Halide 12000 W/SE
Lamp Base:	GX38
Lens Diameter:	500 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	997 x 884 x 710 mm 1120 x 1170 x 1050 mm
Packed Volume:	1375920 ccm
Weight/Shipping Weight:	47,2 kg / 79,5 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT FRESNEL LIGHTS

(single ended, cable length 1 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.75790.B	COMPACT 12000 Baby	MAN	blue/silver	VEAM	12.030,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76172.0	EB 6/12 kW, 90-125 (only 6 kW!) 180-250 V, VEAM, ALF, blue standard housing	10.630,00 €
L2.76182.0	EB 6/12 kW, 90-125 (only 6 kW!) 180-250 V, VEAM, ALF, DMX, blue standard housing	11.020,00 €
L2.76290.0	EB 12/18 kW, 190-250 V, VEAM, ALF, with trolley	13.655,00 €
L2.76295.0	EB 12/18 kW, 190-250 V, VEAM, ALF, DMX, for ARRIMAX, with trolley, Indication Lamp Power 12/18 kW	14.630,00 €
L2.74750.0	4-leaf barndoor, 530 mm	340,00 €
L2.70634.0	Set of 4 scrims (530 mm / 21")	270,00 €
L2.70634.A	Full Single (530 mm / 21")	65,00 €
L2.70634.B	Full Double (530 mm / 21")	70,00 €
L2.70634.C	Half Single (530 mm / 21")	65,00 €
L2.70634.D	Half Double (530 mm / 21")	70,00 €
L2.89077.0	Chimera Speed Ring Circular 21" (530 mm) for Quartz/Daylite Lightbanks 9445	poa €
L2.89059.0	Chimera Lightbank Daylite Plus L 54"x72" (135x180 cm) depth: 48" (120 cm) incl. 3 front screens 8645	poa €

ARRI COMPACT 12000 BABY (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89056.0	Chimera Lightbank Daylite Plus L 54"x72" (135x180 cm) depth: 38" (95 cm) incl. 3 front screens 8445	poa €
L2.89259.G	Lamp CSR 12000 HR G38 GE	poa €
L2.89259.0	Lamp HMI 12000 G38 Osram	poa €
L2.82294.0	Head to ballast cable, 15 m, 12000 / 18000 W	970,00 €
L2.82294.A	Head to ballast cable, 20 m, 12000 / 18000 W	poa €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.80866.0	Safety cable with carabiner, 1 m length, 6 mm thick	15,00 €



ARRI COMPACT 2500 THEATRE

Type of Lamphead:	Fresnel, 2500 W
Lamp Type:	Metal Halide 2500 W/SE
Lamp Base:	G38
Lens Diameter:	250 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	770 x 590 x 396 mm / 670 x 610 x 620 mm
Packed Volume:	253394 ccm
Weight/Shipping Weight:	23 kg / 27 kg
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT FRESNEL LIGHTS

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.73680.B	Compact 2500 Theatre	MAN	grey	VEAM	4.280,00 €
L1.73680.F	Compact 2500 Theatre	MAN	grey	Schaltbau (GTV-Norm)	4.280,00 €
L1.73690.B	Compact 2500 Theatre	MOT	grey	VEAM	4.280,00 €
L1.73690.F	Compact 2500 Theatre	MOT	grey	Schaltbau (GTV-Norm)	4.280,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76695.0	EB 2500 Baby, 180-250V, VEAM, ALF, blue standard housing	4.880,00 €
L2.76635.0	EB 2500, 90-125 V/180-250 V, VEAM, ALF, blue standard housing	5.520,00 €
L2.76640.0	EB 2500/4000, 180-250 V, VEAM, ALF, blue standard housing	5.855,00 €
L2.76641.0	EB 2500/4000, 180-250 V, VEAM, ALF, DMX, blue standard housing	6.240,00 €
L2.40950.0	4-leaf barndoor True Blue, black, 344 mm	100,00 €
L2.40960.0	8-leaf barndoor True Blue, black, 344 mm	210,00 €
L2.80970.0	Filter frame, 330 mm	38,00 €
L2.80975.0	Snoot, 344 mm	poa €
L2.89255.0	Lamp HMI 2500 54070-0 Osram G38	poa €
L2.89255.G	Lamp CSR 2500 GE CSR2500/SE/HR	poa €
L2.75620.0	Head to ballast cable, 2500 / 4000 W, 7 m, international connector	290,00 €
L2.75620.C	Head to ballast cable, 2500 / 4000 W, 15 m, international connector	390,00 €

ARRI COMPACT 2500 THEATRE (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.75620.F	Head to ballast cable, 2500 / 4000 W, 7 m, Schaltbau German TV standard connector	300,00 €
L2.75620.E	Head to ballast cable, 2500 / 4000 W, 15 m, Schaltbau German TV connector	390,00 €
L2.76990.0	Safety cable for C clamp C155 (1 m long)	19,00 €



ARRI COMPACT 4000 THEATRE

Type of Lamphead:	Fresnel, 4000 W
Lamp Type:	Metal Halide 4000 W/SE
Lamp Base:	G38
Lens Diameter:	300 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	856 x 656 x 456 mm / 695 x 725 x 775 mm
Packed Volume:	390503 ccm
Weight/Shipping Weight:	27 kg / 36,5 kg
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT FRESNEL LIGHTS

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.74010.B	Compact 4000 Theatre	MAN	grey	VEAM	5.500,00 €
L1.74010.F	Compact 4000 Theatre	MAN	grey	Schaltbau (GTV-Norm)	5.500,00 €
L1.74020.B	Compact 4000 Theatre	MOT	grey	VEAM	5.500,00 €
L1.74020.F	Compact 4000 Theatre	MOT	grey	Schaltbau (GTV-Norm)	5.500,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76640.0	EB 2500/4000, 180-250 V, VEAM, ALF, blue standard housing	5.855,00 €
L2.76641.0	EB 2500/4000, 180-250 V, VEAM, ALF, DMX, blue standard housing	6.240,00 €
L2.41200.0	4-leaf barndoor True Blue, black, 413 mm	120,00 €
L2.81210.0	8-leaf barndoor True Blue, black, 413 mm	230,00 €
L2.81225.0	Snoot, 413 mm	poa €
L2.81220.0	Filter frame, 400 mm	40,00 €
L2.89256.0	Lamp HMI 4000 54072 Osram G38	poa €
L2.89256.G	Lamp CSR 4000 W (200 V) GE HR, with UV protection, 27765, replacement for 48466	poa €
L2.79946.0	UV-Protection glass round between Luminaire and Louvre Shutter	540,00 €
L2.75620.0	Head to ballast cable, 2500 / 4000 W, 7 m, international connector	290,00 €

ARRI COMPACT 4000 THEATRE (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.75620.C	Head to ballast cable, 2500 / 4000 W, 15 m, international connector	390,00 €
L2.75620.F	Head to ballast cable, 2500 / 4000 W, 7 m, Schaltbau German TV standard connector	300,00 €
L2.75620.E	Head to ballast cable, 2500 / 4000 W, 15 m, Schaltbau German TV connector	390,00 €
L2.80864.0	Safety cable with carabiner, 1 m length, 5 mm thick	15,00 €



ARRISUN 2

Type of Lamphead:	PAR, 200 W
Lamp Type:	Metal Halide 200 W/SE
Lamp Base:	GZY 9,5
Lens Diameter:	135 mm
Mounting:	Socket 16 mm
Size (HxWxL)/Packed Size:	250 x 204 x 267 mm / 290 x 225 x 260 mm
Packed Volume:	16965 ccm
Weight/Shipping Weight:	2,3 kg / 3,2 kg
Protection Class:	I/IP 23
Certifications:	CE

DAYLIGHT PAR LIGHTS

(single ended, cable length 1 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.77820.B	ARRISUN 2	MAN	blue/silver	Amphenol	1.345,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76115.0	EB 200, 90-130 V/180-250 V, Schuko-Plug, ALF, IP23, without fan, blue standard housing	1.255,00 €
L2.76013.B	EB 125/200, 90-125 V/180-250 V, Schuko-Plug, ALF, aluminium profile housing	1.075,00 €
L2.76040.B	EBB 125/200, 20-34 VDC, 150 Hz, XLR-4 plug, aluminium profile housing	1.075,00 €
L2.76270.B	EBB 200/400, 20-34 VDC, 110 Hz, 2 x XLR-4 plug, aluminium profile housing	1.805,00 €
L2.79470.0	4-leaf barndoor, black, 168 mm	59,00 €
L2.79500.0	8-leaf barndoor, black, 168 mm	110,00 €
L2.79471.0	4-leaf barndoor, outsides silver, 168 mm	115,00 €
L2.76100.0	Superclamp with plate for EB	85,00 €
L2.74144.0	Ballast mount bracket	65,00 €
L2.73490.0	Universal clamp with spigot 16 mm (camera mount)	125,00 €
L2.79460.0	Set of 4 scrims (168 mm / 6 5/8")	75,00 €
L2.79460.A	Full Single (168 mm / 6 5/8")	19,00 €
L2.79460.B	Full Double (168 mm / 6 5/8")	22,00 €
L2.79460.C	Half Single (168 mm / 6 5/8")	19,00 €

ARRISUN 2 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.79460.D	Half Double (168 mm / 6 5/8")	22,00 €
L0.77825.0	4 Lens Set (Spot, Narrow Flood, Flood, Super Flood), 130 mm	560,00 €
L0.77824.0	5 Lens Set (Spot, Narrow Flood, Flood, Super Flood and Super Flood frosted), 130 mm	700,00 €
L2.77826.0	Spot Lens, 130 mm, blue	140,00 €
L2.77828.0	Narrow Flood Lens, 130 mm, black, small rectangle	140,00 €
L2.77830.0	Flood Lens, 130 mm, green, large rectangle	140,00 €
L2.77832.0	Super Flood Lens, 130 mm, red, honeycomb	140,00 €
L2.77834.0	Super Flood Lens, frosted, 130 mm, silver, honeycomb	140,00 €
L2.77818.0	Lens Bag for max. 5 lenses, ARRILUX 200/400	30,00 €
L2.77065.0	Case, empty, 47x34x35 cm	375,00 €
L2.89068.0	Chimera Speed Ring Circular 168 mm (6 1/2") for Video Pro Lightbanks 9670	poa €
L2.89074.0	Chimera Speed Ring Circular Metal 168 mm (6 1/2") for Video Pro Lightbanks 9670AL	poa €
L2.70844.0	Chimera Lightbank Video Pro Plus "S", 24"x32" (60x80 cm) depth: 24" (60 cm) incl. 3 front screens 8125	390,00 €
L2.89069.0	Chimera Speed Ring Circular 168 mm (6 1/2") for Daylite Junior Lightbanks 9672	poa €
L2.89251.0	Lamp HMI 200 W Osram GZY 9,5	poa €
L2.89251.P	Lamp MSR 200 GZY 9,5 Philips HR	poa €
L2.73372.0	Head to ballast cable, 200 W, 7 m	200,00 €
L2.76976.0	Blk medium kit stand (Maxi) Code 050A LS.2 2 sections, height 110...260, closed 88 cm, spigot 16 mm, max. load 5 kg	60,00 €
L2.76985.0	ARRI Super Clamp Code 035	26,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €
L2.76809.0	Safety cable with carabiner, 600 mm length, 3 mm thick	17,00 €



ARRISUN 5

Type of Lamphead:	PAR, 575 W
Lamp Type:	Metal Halide 575 W/SE
Lamp Base:	G22
Lens Diameter:	175 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	358 x 272 x 310 mm / 340 x 490 x 380 mm
Packed Volume:	63308 ccm
Weight/Shipping Weight:	3,8 kg / 6,3 kg
Protection Class:	I/IP 23
Certifications:	CE

DAYLIGHT PAR LIGHTS

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.77850.B	ARRISUN 5	MAN	blue/silver	VEAM	2.010,00 €
L1.77850.F	ARRISUN 5	MAN	blue/silver	Schaltbau (GTV-Norm)	2.010,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76125.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, blue Standard Housing	2.635,00 €
L2.76126.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, DMX, blue Standard Housing	3.025,00 €
L2.76425.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, blue Standard Housing	2.925,00 €
L2.76426.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, DMX, blue Standard Housing	3.315,00 €
L2.76427.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, Schaltbau, ALF, blue Standard Housing	3.925,00 €
L2.39670.0	4-leaf barndoor True Blue, black, 197 mm	80,00 €
L2.39700.0	8-leaf barndoor True Blue, black, 197 mm	120,00 €
L0.77863.0	4 Lens Set (Spot, Narrow Flood, Flood, Super Flood), 175 mm	565,00 €
L0.77862.0	5 Lens Set (Spot, Narrow Flood, Flood, Super Flood and Super Flood frosted), 175 mm	705,00 €
L2.77864.0	Spot Lens, 175 mm, blue	140,00 €
L2.77866.0	Narrow Flood Lens, 175 mm, black, small rectangle	140,00 €
L2.77868.0	Flood Lens, 175 mm, green, large rectangle	140,00 €

ARRISUN 5 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.77870.0	Super Flood Lens, 175 mm, red, honeycomb	145,00 €
L2.77872.0	Super Flood Lens, frosted, 175 mm, silver, honeycomb	140,00 €
L2.79660.0	Set of 4 scrims (197 mm / 7 3/4")	90,00 €
L2.79660.A	Full Single (197 mm / 7 3/4")	23,00 €
L2.79660.B	Full Double (197 mm / 7 3/4")	25,00 €
L2.79660.C	Half Single (197 mm / 7 3/4")	23,00 €
L2.79660.D	Half Double (197 mm / 7 3/4")	25,00 €
L2.77853.0	Case for ARRISUN 5, empty, 45x32x47 cm for Lamphead, Cable, Lenses, Barndoor	385,00 €
L2.76246.0	Chimera Speed Ring Circular 7 3/4" (197 mm) for Video Pro Lightbanks 9190	poa €
L2.70940.0	Chimera Lightbank Video Pro Plus M 36"x48" (90X120 cm) depth: 24" (60 cm) incl. 3 front screens 8135	poa €
L2.89060.0	Chimera Speed Ring Circular 7 3/4" (197 mm) for Daylite Junior Lightbanks 9192	poa €
L2.89053.0	Chimera Lightbank Daylite Junior Plus S 24"x32" (60 x 80 cm) depth: 27" (70 cm) incl. 3 front screens 8225 (fits Speedring 9192)	poa €
L2.89253L0	Lamp HMI 575 Osram G22 Longlife (1.000 h)	poa €
L2.89253.P	Lamp MSR 575 G22 Philips HR	poa €
L2.75600.0	Head to ballast cable, 575 / 1200 / 1800 W, 7 m with international connector	280,00 €
L2.75600.C	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with international connector	355,00 €
L2.75600.E	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with Schaltbau German TV standard connector	355,00 €
L2.75600.F	Head to ballast cable, 575 / 1200 / 1800 W, 7 m, with Schaltbau German TV standard connector	280,00 €
L2.88717.0	Universal black cine stand (5/8" & 1 5/8" Fittings) 007BA (LS.4)	125,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €
L2.76989.0	ARRI Swivelling C Clamp C150	109,00 €
L2.76809.0	Safety cable with carabiner, 600 mm length, 3 mm thick	17,00 €

AS 18



Type of Lamphead:	PAR,1800 W
Lamp Type:	Metal Halide 1800 W/SE Metal Halide 1200 W/SE
Lamp Base:	G38
Lens Diameter:	250 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	595 x 387 x 416 mm / 525 x 515 x 555 mm
Packed Volume:	150058 ccm
Weight/Shipping Weight:	10,5 kg / 12,9 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT PAR LIGHTS

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.37570.B	AS18	MAN	blue/silver	VEAM	3.050,00 €
L1.37570.F	AS18	MAN	blue/silver	Schaltbau (GTV-Norm)	3.050,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76625.0	EB 1200/1800, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, CCL, blue standard housing	4.050,00 €
L2.40950.0	4-leaf barndoor True Blue, black, 344 mm	100,00 €
L2.40960.0	8-leaf barndoor True Blue, black, 344 mm	210,00 €
L0.76818.0	4 Lens Set (Narrow Flood, Flood, Super Flood, Super Flood frosted), 250 mm, DROP IN incl. case	1.060,00 €
L0.76817.0	5 Lens Set (Spot, Narrow Flood, Flood, Super Flood, Super Flood frosted), 250 mm, DROP IN incl. case	1.250,00 €
L2.76821.0	Spot Lens, 250 mm, blue, DROP-IN	190,00 €
L2.76822.0	Narrow Flood Lens, 250 mm, black, DROP-IN, small rectangle	190,00 €
L2.76823.0	Flood Lens, 250 mm, green, DROP IN, large rectangle	190,00 €
L2.76824.0	Super Flood Lens, 250 mm, red, DROP IN, honeycomb	190,00 €
L2.76825.0	Super Flood Lens, frosted, 250 mm, silver, DROP IN, honeycomb	190,00 €
L2.76827.0	Lens case for DROP-IN lenses, empty	300,00 €
L2.80980.0	Set of 4 scrims (330 mm / 13")	135,00 €
L2.80980.A	Full Single (330 mm / 13")	35,00 €
L2.80980.B	Full Double (330 mm / 13")	40,00 €

AS 18 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.80980.C	Half Single (330 mm / 13")	35,00 €
L2.80980.D	Half Double (330 mm / 13")	40,00 €
L2.76247.0	Chimera Speed Ring Circular 13 1/2" (343 mm) for Quartz/Dalite Lightbanks 9305	poa €
L2.89054.0	Chimera Lightbank Quartz Plus S 24"x32" (60x80 cm) depth: 22" (55cm) incl. 3 front screens 8635	poa €
L2.89055.0	Chimera Lightbank Quartz Plus M 36"x48" (90x120 cm) depth: 29" (75 cm) incl. 3 front screens 8435	poa €
L2.37590.0	Lamp HMI 1800 / SE Osram G38	poa €
L2.89254L0	Lamp HMI 1200 (540670) Osram G38, Longlife (1.000 h)	poa €
L2.89254.G	Lamp CSR 1200 GE CSR 1200/SE	poa €
L2.75600.0	Head to ballast cable, 575 / 1200 / 1800 W, 7 m with international connector	280,00 €
L2.75600.C	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with international connector	355,00 €
L2.75600.F	Head to ballast cable, 575 / 1200 / 1800 W, 7 m, with Schaltbau German TV standard connector	280,00 €
L2.75600.E	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with Schaltbau German TV standard connector	355,00 €
L2.76979.0	Stand AS 5 chromed steel MA 126 A LS.126A 2 sections, height 131...333 cm, closed 131 cm, spigot 16 mm and socket 28 mm, max. load 20 kg	160,00 €
L2.76980.0	Braked wheels for combo/roller stands (Plated Finish) LA.90000.A	128,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.76990.0	Safety cable for C Clamp C155 (1 m long)	19,00 €
L2.77572.2	Conversion Kit from M18 to AS18, PAR Reflector, three brackets and one top latch f. AS18	190,00 €



AS 40

Type of Lamphead:	PAR, 4000 W
Lamp Type:	Metal Halide 4000 W/SE Metal Halide 2500 W/SE
Lamp Base:	G38
Lens Diameter:	300 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	723 x 471 x 590 mm / 650 x 600 x 670 mm
Packed Volume:	261300 ccm
Weight/Shipping Weight:	22,2 kg / 34,0 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT PAR LIGHTS

(single ended, cable length 0,6 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.37300.B	AS 40	MAN	blue/silver	VEAM	4.875,00 €
L1.37300.F	AS 40	MAN	blue/silver	Schaltbau (DF-Norm)	4.875,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76650.0	EB 2500/4000, 180-250 V, VEAM, ALF, CCL, blue standard housing	5.855,00 €
L2.76640.0	EB 2500/4000, 180-250 V, VEAM, ALF, blue standard housing	5.855,00 €
L2.76641.0	EB 2500/4000, 180-250 V, VEAM, ALF, DMX, blue standard housing	6.240,00 €
L2.41200.0	4-leaf barndoor True Blue, black, 413 mm	120,00 €
L2.81210.0	8-leaf barndoor True Blue, black, 413 mm	230,00 €
L0.76865.0	4 Lens Set (Spot, Narrow Flood, Flood, Super Flood), 300 mm, DROP IN incl. case	1.300,00 €
L0.76864.0	5 Lens Set (Spot, Narrow Flood, Flood, Super Flood, Super Flood frosted), 300 mm, DROP IN incl. case	1.545,00 €
L2.76867.0	Spot Lens, 300 mm, blue, DROP-IN	245,00 €
L2.76868.0	Narrow Flood Lens, 300 mm, black, DROP-IN, small rectangle	245,00 €
L2.76869.0	Flood Lens, 300 mm, green, DROP IN, large rectangle	245,00 €
L2.76870.0	Super Flood Lens, 300 mm, red, DROP IN, honeycomb	245,00 €
L2.76871.0	Super Flood Lens, frosted, 300 mm, silver, DROP IN, honeycomb	245,00 €
L2.77483.0	Lens Case for DROP-IN Lenses, empty, 47x34x49 cm	320,00 €
L2.81230.0	Set of 4 scrims (400 mm / 15 3/4")	155,00 €

AS 40/25 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.81230.A	Full Single (400 mm / 15 3/4")	40,00 €
L2.81230.B	Full Double (400 mm / 15 3/4")	45 €
L2.81230.C	Half Single (400 mm / 15 3/4")	40,00 €
L2.81230.D	Half Double (400 mm / 15 3/4")	45,00 €
L2.89062.0	Chimera Speed Ring Circular 16 1/8" (411 mm) for Quartz/Daylite Lightbanks 9365	poa €
L2.89055.0	Chimera Lightbank Quartz Plus M 36"x48" (90x120 cm) depth: 29" (75 cm) incl. 3 front screens 8435	poa €
L2.89255.0	Lamp HMI 2500 54070-0 Osram G38	poa €
L2.89255.G	Lamp CSR 2500 GE CSR2500/SE/HR	poa €
L2.89256.0	Lamp HMI 4000 54072 Osram G38	poa €
L2.89256.G	Lamp CSR 4000 W (200 V) GE HR, with UV protection, 27765, replacement for 48466	poa €
L2.77440.0	Adapter for use of switchable 2500/4000 W-lamphead with male Cannon-Veam-connector on CB 2500 with female Cannon-Veam-connector (Switchable lampheads like ARRISUN or X 40/25 are connected internal as 4000 W-lampheads.)	255,00 €
L2.75620.0	Head to ballast cable, 2500 / 4000 W, 7 m, international connector	290,00 €
L2.75620.C	Head to ballast cable, 2500 / 4000 W, 15 m, international connector	390,00 €
L2.75620.F	Head to ballast cable, 2500 / 4000 W, 7 m, Schaltbau German TV standard connector	300,00 €
L2.75620.E	Head to ballast cable, 2500 / 4000 W, 15 m, Schaltbau German TV connector	390,00 €
L2.8800561	ARRI wind-up stand with wheels Code 083NWA LS.6 1 section, height 139...247 cm, closed 153 cm, spigot 16 mm and socket 28 mm, max. load 45 kg	440,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.80864.0	Safety cable with carabiner, 1 m length, 5 mm thick	15,00 €



ARRISUN 60

Type of Lamphead:	PAR, 6000 W
Lamp Type:	Metal Halide 6000 W/SE
Lamp Base:	GX38
Lens Diameter:	420 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	872 x 562 x 680 mm/ 695 x 725 x 780 mm
Packed Volume:	393023 ccm
Weight/Shipping Weight:	27,0 kg / 32,5 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT PAR LIGHTS

(single ended, cable length 0,7 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.77480.B	ARRISUN 60	MAN	blue/silver	VEAM	6.465,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76193.0	EB 6000, 180-250 V, VEAM, ALF, blue standard housing	8.780,00 €
L2.76172.0	EB 6/12kW, 90-125 (only 6kW!) / 180-250V, VEAM, ALF, blue standard housing	10.630,00 €
L2.76182.0	EB 6/12kW, 90-125 (only 6kW!) / 180-250V, VEAM, ALF, DMX, blue standard housing	11.020,00 €
L2.82150.0	4-leaf barn door, black, 510 mm	410,00 €
L0.77484.0	4 Lens Set (Spot, Narrow Flood, Flood, Super Flood), 420 mm INSERT incl. case	1.420,00 €
L0.77482.0	5 Lens Set (Spot, Narrow Flood, Flood, Super Flood and Super Flood frosted), 420 mm INSERT incl. case	1.695,00 €
L0.77485.0	4 Lens Set (Spot, Narrow Flood, Flood, Super Flood), 420 mm, INSERT	1.100,00 €
L0.77892.0	5 Lens Set (Spot, Narrow Flood, Flood, Super Flood and Super Flood frosted), 420 mm, INSERT	1.375,00 €
L2.77486.0	Spot Lens, 420 mm, INSERT	275,00 €
L2.77488.0	Narrow Flood Lens, 420 mm, INSERT, small rectangle	275,00 €
L2.77490.0	Flood Lens, 420 mm, INSERT, big rectangle	275,00 €
L2.77492.0	Super Flood Lens, 420 mm, INSERT, honeycomb	275,00 €
L2.77494.0	Super Flood Lens, frosted, 420 mm, INSERT, honeycomb	275,00 €
L2.77483.0	Lens Case for DROP-IN Lenses, empty, 47x34x49 cm	320,00 €

ARRISUN 60 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L0.76885.0	4 Lens Set (Spot, Narrow Flood, Flood, Super Flood), 420 mm, DROP IN incl. case	1.980,00 €
L0.76882.0	5 Lens Set (Spot, Narrow Flood, Flood, Super Flood, Super Flood frosted), 420 mm DROP IN incl. case	2.350,00 €
L2.76887.0	Spot Lens, 420 mm, blue, DROP-IN	370,00 €
L2.76888.0	Narrow Flood Lens, 420 mm, black, DROP-IN, small rectangle	370,00 €
L2.76889.0	Flood Lens, 420 mm, green, DROP IN, large rectangle	370,00 €
L2.76890.0	Super Flood Lens, 420 mm, red, DROP IN, honeycomb	370,00 €
L2.76891.0	Super Flood Lens, frosted, 420 mm, silver, DROP IN, honeycomb	370,00 €
L2.77932.0	Lens Case for DROP IN Lenses, empty, 66x35x69 cm	500,00 €
L2.82160.0	Set of 4 scrims (495 mm / 19 1/2")	205,00 €
L2.82160.A	Full Single (495 mm / 19 1/2")	55,00 €
L2.82160.B	Full Double (495 mm / 19 1/2")	55,00 €
L2.82160.C	Half Single (495 mm / 19 1/2")	55,00 €
L2.82160.D	Half Double (495 mm / 19 1/2")	55,00 €
L2.89063.0	Chimera Speed Ring Circular 20" (508 mm) for Quartz/Daylite Lightbanks 9435	poa €
L2.89058.0	Chimera Lightbank Daylite Plus M 36"x48" (90x120 cm) depth: 40" (100 cm) incl. 3 front screens 8635	poa €
L2.89059.0	Chimera Lightbank Daylite Plus L 54"x72" (135x180 cm) depth: 48" (120 cm) incl. 3 front screens 8645	poa €
L2.89055.0	Chimera Lightbank Quartz Plus M 36"x48" (90x120 cm) depth: 29" (75 cm) incl. 3 front screens 8435	poa €
L2.89056.0	Chimera Lightbank Daylite Plus L 54"x72" (135x180 cm) depth: 38" (95 cm) incl. 3 front screens 8445	poa €
L2.89257.G	Lamp HMI 6000 G38 GE	poa €
L2.89257.W	Lamp HMI 6000 G38 Wolfram	poa €
L2.89257.0	Lamp HMI 6000 SE G38 Osram	poa €
L2.77940.0	Head to ballast cable, 7 m, 6000 W	615,00 €
L2.77940.A	Head to ballast cable, 15 m, 6000 W	885,00 €
L2.8800561	ARRI wind-up stand with wheels Code 083NWA LS.6 1 section, height 139...247, closed 153 cm, spigot 16 mm and socket 28 mm, max. load 45 kg	440,00 €
L2.76959.0	Braked wheel set for AS 6 104	62,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.80864.0	Safety cable with carabiner, 1 m length, 5 mm thick	15,00 €



ARRISUN 120

Type of Lamphead:	PAR, 12000 W
Lamp Type:	Metal Halide 12000 W/SE
Lamp Base:	GX38
Lens Diameter:	500 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	948 x 760 x 850 mm / 875 x 815 x 950 mm
Packed Volume:	677470 ccm
Weight/Shipping Weight:	46,8 kg / 63,0 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT PAR LIGHTS

(single ended, cable length 1 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.77890.B	ARRISUN 120	MAN	blue/silver	VEAM	11.660,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76172.0	EB 6/12 kW, 90-125 (only 6 kW!) 180-250 V, VEAM, ALF, blue standard housing	10.630,00 €
L2.76182.0	EB 6/12 kW, 90-125 (only 6 kW!) 180-250 V, VEAM, ALF, DMX, blue standard housing	11.020,00 €
L2.76290.0	EB 12/18 kW, 190-250 V, VEAM, ALF, with trolley	13.655,00 €
L2.76295.0	EB 12/18 kW, 190-250 V, VEAM, ALF, DMX, for ARRIMAX, with trolley, Indication Lamp Power 12/18 kW	14.630,00 €
L2.79065.0	4-leaf barndoor, black, 530 mm	540,00 €
L0.77921.0	4 Lens Set (Spot, Narrow Flood, Flood, Super Flood), 500 mm incl. case	3.140,00 €
L0.77920.0	5 Lens Set (Spot, Narrow Flood, Flood, Super Flood and Super Flood frosted), 500 mm incl. case	3.840,00 €
L0.77930.0	4 Lens Set (Spot, Narrow Flood, Flood, Super Flood), 500 mm	2.620,00 €
L0.77929.0	5 Lens Set (Spot, Narrow Flood, Flood, Super Flood and Super Flood frosted), 500 mm	3.320,00 €
L2.77923.0	Spot Lens, 500 mm, blue	655,00 €
L2.77926.0	Narrow Flood Lens, 500 mm, black, small rectangle	655,00 €
L2.77924.0	Flood Lens, 500 mm, green, large rectangle	655,00 €
L2.77925.0	Super Flood Lens, 500 mm, red, honeycomb	655,00 €
L2.77928.0	Super Flood Lens, frosted, 500 mm, silver, honeycomb	700,00 €

ARRISUN 120 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.77922.0	Lens Case, empty, 66x35x69 cm	520,00 €
L2.70634.0	Set of 4 scrims (530 mm / 21")	270,00 €
L2.70634.A	Full Single (530 mm / 21")	65,00 €
L2.70634.B	Full Double (530 mm / 21")	70,00 €
L2.70634.C	Half Single (530 mm / 21")	65,00 €
L2.70634.D	Half Double (530 mm / 21")	70,00 €
L2.89077.0	Chimera Speed Ring Circular 21" (530 mm) for Quartz/Daylite Lightbanks 9445	poa €
L2.89056.0	Chimera Lightbank Daylite Plus L 54"x72" (135x180 cm) depth: 38" (95 cm) incl. 3 front screens 8445	poa €
L2.89259.G	Lamp CSR 12000 HR G38 GE	poa €
L2.89259.0	Lamp HMI 12000 G38 Osram	poa €
L2.82294.0	Head to ballast cable, 15 m, 12000 / 18000 W	970,00 €
L2.82294.A	Head to ballast cable, 20 m, 12000 / 18000 W	poa €
L2.80864.0	Safety cable with carabiner, 1 m length, 5 mm thick	15,00 €



ARRISUN 5 EVENT

Type of Lamphead:	PAR, 575 W
Lamp Type:	Metal Halide 575 W/SE
Lamp Base:	G22
Lens Diameter:	180 mm
Mounting:	Spigot 16 mm
Size (HxWxL)/Packed Size:	344 x 259 x 295 mm / 475 x 380 x 320 mm
Packed Volume:	57760 ccm
Weight/Shipping Weight:	4,5 kg / 6,1 kg
Protection Class:	I/IP 20
Certifications:	CE

DAYLIGHT PAR LIGHTS EVENT

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.77871.E	ARRISUN 5 EVENT		silver	Schaltbau	1.600,00 €
L1.77875.E	ARRISUN 5 EVENT		black	Schaltbau	1.600,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.79671.0	4-leaf barndoor, outsides silver, 197 mm	135,00 €
L2.79670.0	4-leaf barndoor, black, 197 mm	80,00 €
L0.77863.0	4 Lens Set (Spot, Narrow Flood, Flood, Super Flood), 175 mm	565,00 €
L2.77864.0	Spot Lens, 175 mm, blue	140,00 €
L2.77866.0	Narrow Flood Lens, 175 mm, black, small rectangle	140,00 €
L2.77868.0	Flood Lens, 175 mm, green, large rectangle	140,00 €
L2.77870.0	Super Flood Lens, 175 mm, red, honeycomb	145,00 €
L2.88726.S	ARRI Quick Action Super Clamp silver 635-0350	41,00 €
L2.88726.0	Quick Action Super Clamp black 635	38,00 €
L2.88212.0	Double female adaptor 16 mm-17 mm Pin (E400) (LE.4000.A)	13,00 €
L2.89253L0	Lamp HMI 575 Osram G22 Longlife (1.000 h)	poa €
L2.89253.P	Lamp MSR 575 G22 Philips HR	poa €
L2.76809.0	Safety cable with carabiner, 600 mm length, 3 mm thick	17,00 €



ARRISUN 18 EVENT

Type of Lamphead:	PAR,1800 W
Lamp Type:	Metal Halide 1800 W/SE
Lamp Base:	G38
Lens Diameter:	250 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	543 x 384 x 376 mm / 550 x 510 x 690 mm
Packed Volume:	193545 ccm
Weight/Shipping Weight:	10,5 kg / 15,8 kg
Protection Class:	I/IP 23
Certifications:	CE, CB,GS, cNRTL

DAYLIGHT PAR LIGHTS EVENT

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.37591.E	ARRISUN 18 EVENT		silver	Schaltbau	3.100,00 €
L1.37595.E	ARRISUN 18 EVENT		black	Schaltbau	3.100,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.80951.0	4-leaf barndoor, outsides silver, 344 mm	185,00 €
L2.80950.0	4-leaf barndoor, black, 344 mm	90,00 €
L2.40950.0	4-leaf barndoor True Blue, black, 344 mm	100,00 €
L0.76818.0	4 Lens Set (Narrow Flood, Flood, Super Flood, Super Flood frosted), 250 mm, DROP IN incl. case	1.060,00 €
L2.76821.0	Spot Lens, 250 mm, blue, DROP-IN	190,00 €
L2.76822.0	Narrow Flood Lens, 250 mm, black, DROP-IN, small rectangle	190,00 €
L2.76823.0	Flood Lens, 250 mm, green, DROP IN, large rectangle	190,00 €
L2.76824.0	Super Flood Lens, 250 mm, red, DROP IN, honeycomb	190,00 €
L2.76827.0	Lens case for DROP-IN lenses, empty	300,00 €
L2.37590.0	Lamp HMI 1800 W/SE XS Osram	poa €
L2.89254.G	Lamp CSR 1200 GE CSR 1200/SE	poa €
L2.89254.P	Lamp MSR 1200 G38 Philips HR	poa €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.76990.0	Safety cable for C clamp C155 (1 m long)	19,00 €

ARRI X 5



Type of Lamphead:	Flood, 575 W
Lamp Type:	Metal Halide 575 W/SE
Lamp Base:	G22
Lens Size:	215 x 235 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	550 x 376 x 208 mm / 510 x 440 x 410 mm
Packed Volume:	92000 ccm
Weight/Shipping Weight:	8,0 kg / 9,5 kg
Protection Class:	I/IP 23
Certifications:	CE

DAYLIGHT BROAD LIGHTS

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.82200.B	ARRI X 5	MAN	blue/silver	VEAM	1.850,00 €
L1.82200.F	ARRI X 5	MAN	blue/silver	Schaltbau (GTV-Norm)	1.850,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76125.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, blue standard housing	2.635,00 €
L2.76126.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, DMX, blue standard housing	3.025,00 €
L2.76425.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, blue standard housing	2.925,00 €
L2.76426.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, DMX, blue standard housing	3.315,00 €
L2.76427.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, Schaltbau, ALF, blue standard housing	2.925,00 €
L2.82240.0	4-leaf barndoor, black, 247 mm	75,00 €
L2.82249.0	UV protective glass, frosted	160,00 €
L2.89253L0	Lamp HMI 575 Osram G22 Longlife (1.000 h)	poa €
L2.89253.P	Lamp MSR 575 G22 Philips HR	poa €
L2.75600.0	Head to ballast cable, 575 / 1200 / 1800 W, 7 m with international connector	280,00 €
L2.75600.C	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with international connector	355,00 €
L2.75600.E	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with Schaltbau German TV standard connector	355,00 €

ARRI X 5 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.75600.F	Head to ballast cable, 575 / 1200 / 1800 W, 7 m, with Schaltbau German TV standard connector	280,00 €
L2.88717.0	Universal black cine stand (5/8" & 1 5/8" Fittings) 007BA (LS.4)	125,00 €
L2.76100.0	Superclamp with plate for EB	85,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.76809.0	Safety cable with carabiner, 600 mm length, 3 mm thick	17,00 €

ARRI X 12



Type of Lamphead:	Flood, 1200 W
Lamp Type:	Metal Halide 1200 W/SE
Lamp Base:	G38
Lens Size:	315 x 330 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	619 x 495 x 260 mm / 620 x 610 x 670 mm
Packed Volume:	253390 ccm
Weight/Shipping Weight:	14,7 kg / 19,5 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT BROAD LIGHTS

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.82250.B	ARRI X 12	MAN	blue/silver	VEAM	2.805,00 €
L1.82250.F	ARRI X 12	MAN	blue/silver	Schaltbau (GTV-Norm)	2.805,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76125.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, blue standard housing	2.635,00 €
L2.76126.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, DMX, blue standard housing	3.025,00 €
L2.76425.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, blue standard housing	2.925,00 €
L2.76426.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, DMX, blue standard housing	3.315,00 €
L2.76427.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, Schaltbau, ALF, blue standard housing	2.925,00 €
L2.82252.0	4-leaf barndoor up to SN 250	190,00 €
L2.82775.0	4-leaf barndoor from SN 251	180,00 €
L2.82774.0	UV protective glass, frosted from SN 251	245,00 €
L2.82256.0	UV protective glass, frosted up to SN 250	250,00 €
L2.89055.0	Chimera Lightbank Quartz Plus M 36"x48" (90x120 cm) depth: 29" (75 cm) incl. 3 front screens 8435	poa €
L2.89056.0	Chimera Lightbank Daylite Plus L 54"x72" (135x180 cm) depth: 38" (95 cm) incl. 3 front screens 8445	poa €
L2.89254L0	Lamp HMI 1200 (540670) Osram G38, Longlife (1.000 h)	poa €

ARRI X 12 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89254.G	Lamp CSR 1200 GE CSR 1200/SE	poa €
L2.75600.0	Head to ballast cable, 575 / 1200 / 1800 W, 7 m with international connector	280,00 €
L2.75600.C	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with international connector	355,00 €
L2.75600.F	Head to ballast cable, 575 / 1200 / 1800 W, 7 m, with Schaltbau German TV standard connector	280,00 €
L2.75600.E	Head to ballast cable, 575 / 1200 / 1800 W, 15 m, with Schaltbau German TV standard connector	355,00 €
L2.88717.0	Universal black cine stand (5/8" & 1 5/8" Fittings) 007BA (LS.4)	125,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.76990.0	Safety cable for C clamp C155 (1 m long)	19,00 €

ARRI X 40/25



Type of Lamphead:	Flood, 4000 W
Lamp Type:	Metal Halide 4000 W/SE Metal Halide 2500 W/SE
Lamp Base:	G38
Lens Size:	385 x 400 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	760 x 590 x 290 mm / 620 x 610 x 670 mm
Packed Volume:	253390 ccm
Weight/Shipping Weight:	21,1 kg / 27,5 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT BROAD LIGHTS

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.82400.B	ARRI X 40/25	MAN	blue/silver	VEAM	4.105,00 €
L1.82400.F	ARRI X 40/25	MAN	blue/silver	Schaltbau (GTV-Norm)	4.105,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76640.0	EB 2500/4000, 180-250 V, VEAM, ALF, blue standard housing	5.855,00 €
L2.76641.0	EB 2500/4000, 180-250 V, VEAM, ALF, DMX, blue standard housing	6.240,00 €
L2.82425.0	4-leaf barndoor to SN 425	245,00 €
L2.82717.0	4-leaf barndoor from SN 426	235,00 €
L2.82740.E	UV-protective glass, frosted, from SN 426 to SN 552	245,00 €
L2.82740.0	UV-protective glass, frosted, from SN 553	245,00 €
L2.89056.0	Chimera Lightbank Daylite Plus L 54"x72" (135x180 cm) depth: 38" (95 cm) incl. 3 front screens 8445	poa €
L2.89255.G	Lamp CSR 2500 GE CSR2500/SE/HR	poa €
L2.89255.0	Lamp HMI 2500 54070-0 Osram G38	poa €
L2.89256.G	Lamp CSR 4000 W (200 V) GE HR, with UV protection, 27765, replacement for 48466	poa €
L2.89256.0	Lamp HMI 4000 54072 Osram G38	poa €
L2.77440.0	Adapter for use of switchable 2500/4000 W-lamphead with male Cannon-VEAM-connector on CB 2500 with female Cannon-Veam-connector (Switchable lampheads like ARRISUN or X 40/25 are connected internal as 4000 W-lampheads.)	255,00 €

ARRI X 40/25 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.75620.C	Head to ballast cable, 2500 / 4000 W, 15 m, international connector	390,00 €
L2.75620.F	Head to ballast cable, 2500 / 4000 W, 7 m, Schaltbau German TV standard connector	300,00 €
L2.75620.E	Head to ballast cable, 2500 / 4000 W, 15 m, Schaltbau German TV connector	390,00 €
L2.8800561	ARRI wind-up stand with wheels Code 083NWA LS.6 1 section, height 139...247 cm, closed 153 cm, spigot 16 mm and socket 28 mm, max. load 45 kg	440,00 €
L2.76959.0	Braked wheel Set for AS 6 104	62,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.80864.0	Safety cable with carabiner, 1 m length, 5 mm thick	15,00 €



ARRI X 60

Type of Lamphead:	Flood, 6000 W
Lamp Type:	Metal Halide 6000 W/SE
Lamp Base:	G38
Lens Size:	520 x 533 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	925 x 810 x 400 mm / 770 x 720 x 700 mm
Packed Volume:	388080 ccm
Weight/Shipping Weight:	32,2 kg / 49,0 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT BROAD LIGHTS

(single ended, cable length 0,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.82650.B	ARRI X 60	MAN	blue/silver	VEAM	6.095,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76193.0	EB 6000, 180-250 V, VEAM, ALF, blue standard housing	8.780,00 €
L2.76172.0	EB 6/12 kW, 90-125 (only 6 kW!) / 180-250 V, VEAM, ALF, blue standard housing	10.630,00 €
L2.76182.0	EB 6/12 kW, 90-125 (only 6 kW!) / 180-250 V, VEAM, ALF, DMX, blue standard housing	11.020,00 €
L2.82675.0	4-leaf barndoor	500,00 €
L2.82690.0	UV-protective glass, frosted	poa €
L2.89257.G	Lamp HMI 6000 G38 GE	poa €
L2.89257.W	Lamp HMI 6000 G38 Wolfram	poa €
L2.89257.0	Lamp HMI 6000 SE G38 Osram	poa €
L2.77940.0	Head to ballast cable, 7 m, 6000 W	615,00 €
L2.77940.A	Head to ballast cable, 15 m, 6000 W	885,00 €
L2.8800561	ARRI wind-up stand with wheels Code 083NWA LS.6 1 section, height 139...247 cm, closed 153 cm, spigot 16 mm and socket 28 mm, max. load 45 kg	490,00 €
L2.76959.0	Braked wheel set for AS 6 104	62,00 €

ARRI X 60 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.88096.0	Large dia. braked wheel set (for LS.387.S) 374	245,00 €
L2.88706.0	Braked wheel set, diam 125 mm (for wind up stand 387) 251	114,00 €

ARRI X 40/25 THEATRE



Type of Lamphead:	Flood, 4000 W
Lamp Type:	Metal Halide 4000 W/SE Metal Halide 2500 W/SE
Lamp Base:	G38
Lens Size:	385 x 400 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	726 x 564 x 312 mm / 670 x 610 x 620 mm
Packed Volume:	253390 ccm
Weight/Shipping Weight:	24,0 kg / 30,0 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

DAYLIGHT BROAD LIGHTS

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.82410.B	ARRI X 40/25 Theatre	MAN	grey	VEAM	4.345,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76640.0	EB 2500/4000, 180-250 V, VEAM, ALF, blue standard housing	5.855,00 €
L2.76641.0	EB 2500/4000, 180-250 V, VEAM, ALF, DMX, blue standard housing	6.240,00 €
L2.82425.0	4-leaf barndoor to SN 425	245,00 €
L2.82717.0	4-leaf barndoor from SN 426	235,00 €
L2.82740.E	UV-protective glass, frosted, from SN 426 to SN 552	245,00 €
L2.82740.0	UV-protective glass, frosted, from SN 553	245,00 €
L2.89255.G	Lamp CSR 2500 GE CSR2500/SE/HR	poa €
L2.89255.0	Lamp HMI 2500 54070-0 Osram G38	poa €
L2.89256.G	Lamp CSR 4000 W (200 V) GE HR, with UV protection, 27765, replacement for 48466	poa €
L2.89256.0	Lamp HMI 4000 54072 Osram G38	poa €
L2.77440.0	Adapter for use of switchable 2500/4000 W-lamphead with male Cannon-VEAM-connector on CB 2500 with female Cannon-Veaim-connector (Switchable lampheads like ARRISUN or X 40/25 are connected internal as 4000 W-lampheads.)	255,00 €
L2.75620.0	Head to ballast cable, 2500 / 4000 W, 7m, international connector	290,00 €

ARRI X THEATRE 40/25 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.75620.C	Head to ballast cable, 2500 / 4000 W, 15 m, international connector	390,00 €
L2.75620.F	Head to ballast cable, 2500 / 4000 W, 7 m, Schaltbau German TV standard connector	300,00 €
L2.75620.E	Head to ballast cable, 2500 / 4000 W, 15 m, Schaltbau German TV connector	390,00 €
L2.80864.0	Safety cable with carabiner, 1 m length, 5 mm thick	15,00 €

ARRILUX POCKETPAR 125



Type of Lamphead:	PAR, 125 W
Lamp Type:	HMI 125 W/SE
Lamp Base:	GZX 9,5
Lens Diameter:	77 mm
Mounting:	Socket 16 mm
Size (HxWxL)/Packed Size:	143 x 126 x 190 mm /175 x 200 x 380 mm
Packed Volume:	13300 ccm
Weight/Shipping Weight:	1,1 kg / 1,6 kg
Protection Class:	I/IP 20
Certifications:	CE, CB, GS, cNRTL

PORTABLE DAYLIGHT PAR LIGHTS

(single ended, cable length 1,5 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.73375.0	ARRILUX POCKETPAR 125	MAN	blue/silver	Binder	1.060,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76013.B	EB 125/200, 90-250 V, Schuko, ALF, aluminium profile housing	1.075,00 €
L2.76040.B	EBB 125/200, 20-34VDC battery-ballast, XLR-4 plug, aluminium profile housing	1.075,00 €
L2.73380.0	4-leaf barndoor, black, 78 mm	60,00 €
L0.73492.0	4 lens set 78 mm, Arrilux 125: N-Flood, Flood, S-Flood, S-Flood frosted	500,00 €
L2.73402.0	Narrow Flood Lens, black, 78 mm	125,00 €
L2.73404.0	Flood Lens, green, 78 mm	125,00 €
L2.73462.0	Super Flood Lens, red, 78 mm	125,00 €
L2.73464.0	Frosted Super Flood Lens, silver, 78 mm	125,00 €
L2.73488.0	3/4 CTO (5600 to 3200K), 78 mm	90,00 €
L2.74264.0	1/2 CTO (5600 to 3800K), 78 mm	90,00 €
L2.74266.0	1/4 CTO (5600 to 4500K), 78 mm	90,00 €
L2.74268.0	1/8 CTO (5600 to 4900K), 78 mm	90,00 €
L2.73388.A	Light case for ARRILUX 125, empty	310,00 €
L2.88000.0	Deluxe Pocket Par Kit Case	445,00 €

ARRILUX POCKETPAR 125 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89250.P	Lamp MSR 125 GZX 9,5 Philips 194961 HR	poa €
L2.89250.G	Lamp CSR 125 W SE (80 V) GE HR	poa €
L2.73403.0	Lens ring for lenses and CTO's, 78 mm, empty	40,00 €
L2.73382.0	125 W head-ballast cable, 7 m	195,00 €
L2.73408.0	Handgrip 16 mm spigot size with thread 3/8", light weight	55,00 €
L2.73406.0	Adapter for handgrip (micro-yoke)	49,00 €
L2.73407.0	Head/Ballast Adapter, metal	49,00 €
L2.76100.0	Superclamp with plate for EB / EBB	85,00 €
L2.74144.0	Yoke for Ballast, 16 mm	65,00 €
L2.76257.0	ARRI-Tubolite incl. case	865,00 €
L2.88648.0	Lite-Tite Umbrella Adapter (Manfrotto-Code 026) for Tubolite	28,00 €
L2.89070.0	Chimera Speed Ring dedicated for Video Pro Lightbanks 9790	poa €
L2.76107.0	Chimera Speed Ring, only outer ring, (only in connection with L2.76102.0)	poa €
L2.76102.0	Chimera Adapter Bracket for Speed Ring (only in connection with L2.76107.0)	poa €
L2.76038.0	Mounting Bracket (spare part) for ARRI Adapter Bracket L2.76102.0	poa €
L2.76106.0	Chimera Lightbank Video Pro Plus XXS 12"x16" (30x40 cm), incl. front screens 8105	poa €
L2.76975.0	Compact Stand Code 050KA LS.1, height 71...235 cm, spigot 16 mm	65,00 €
L2.76965.0	Compact Stand Code 050MKA LS.01, height 90...260 cm, spigot 16 mm	65,00 €
L2.76976.0	Blk Medium Kit Stand (Maxi) Code 050A LS.2, height 110...260 cm, spigot 16 mm	60,00 €
L2.76985.0	ARRI super clamp Code 035	26,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €

ARRILUX POCKETPAR 200



Type of Lamphead:	PAR, 200 W
Lamp Type:	Metal Halide 200 W/SE
Lamp Base:	GZY 9,5
Lens Diameter:	105 mm
Mounting:	Socket 16 mm
Size (HxWxL)/Packed Size:	211 x 225 x 258 mm / 255 x 390 x 440 mm
Packed Volume:	43758 ccm
Weight/Shipping Weight:	1,9 kg / 3,6 kg
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

PORTABLE DAYLIGHT PAR LIGHTS

(single ended, cable length 2 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.70790.0	ARRILUX POCKETPAR 200	PAR	blue/silver	Amphenol	1.480,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76013.B	EB 125/200, 90-250 V, Schuko, ALF, aluminium profile housing	1.075,00 €
L2.76115.0	EBB 125/200, 20-34VDC battery-ballast, XLR-4 plug, aluminium profile housing	1.255,00 €
L2.76040.B	EBB mount plate with velcro, for fastening EBB to a battery-belt	1.075,00 €
L2.76270.B	EBB 200/400, 20-34VDC battery-ballast, 2x XLR-4 plus, Aluminium profile housing	1.805,00 €
L2.76100.0	Superclamp with plate for EB / EBB	85,00 €
L2.74144.0	Yoke for Ballast, 16 mm	65,00 €
L2.70790.0	Reflector housing PAR, ARRILUX 200	890,00 €
L2.79170.0	4-leaf barndoor, black, 130 mm	45,00 €
L2.79160.0	Set of 4 metal scrims (130 mm / 5")	65,00 €
L2.79160.A	Metal scrim Full Single (130 mm / 5")	17,00 €
L2.79160.B	Metal scrim Full Double (130 mm / 5")	19,00 €
L2.79160.C	Metal scrim Half Single (130 mm / 5")	17,00 €

ARRILUX POCKETPAR 200 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.79160.D	Metal scrim Half Double (130 mm / 5")	19,00 €
L0.70830.0	4 lens set 112 mm, ARRILUX 200: N-Flood, Flood, S-Flood, S-Flood frosted	560,00 €
L2.70832.0	Narrow Flood Lens, black, 112 mm	140,00 €
L2.70833.0	Flood Lens, green, 112 mm	140,00 €
L2.70834.0	Super Flood Lens, red, 112 mm	140,00 €
L2.70835.0	Frosted Super Flood lens, silver, 112 mm	140,00 €
L2.70819.0	3/4 CTO (5600 to 3200K), 112 mm	135,00 €
L2.77818.0	Lens Bag for max. 5 lenses, ARRILUX 200/400	30 €
L2.70839.0	Light Case for ARRILUX 200 PocketPAR, empty	375,00 €
L2.89251.0	Lamp HMI 200 W Osram GZY 9,5	poa €
L2.89251.P	Lamp MSR 200 GZY 9,5 Philips HR	poa €
L2.73408.0	Handgrip 16 mm spigot size with thread 3/8", light weight	55,00 €
L2.73406.0	Adapter for handgrip (micro-yoke)	49,00 €
L2.73372.0	Head to ballast cable, 200 W, 7 m	200,00 €
L2.70825.0	Lighthouse 200, clear glass	190,00 €
L2.70825.S	Lighthouse 200, frosted glass	265,00 €
L2.70865.0	Stirrup for lighthouse	120,00 €
L2.70826.0	Shutter for lighthouse	255,00 €
L2.88648.0	Lite-Tite Umbrella Adapter (Manfrotto-Code 026) for Tubolite	28,00 €
L2.70838.0	Chimera-Adapter for Lighthouse complete, contains: L2.70824.0 & L2.76107.0	110,00 €
L2.70824.0	Chimera-Adapter for Lighthouse, w/o Speedring, in connection with L2.76107.0	45,00 €
L2.76107.0	Chimera-Speed-Ring, only outer ringing, in connection with L2.70824.0	poa €
L2.89067.0	Chimera Speed Ring Circular 5" (130 mm) for Video Pro Lightbanks 9640	poa €
L2.76719.0	Chimera Lightbank Video Pro Plus XS 16"x22" (40x55 cm), incl. front screens 8115	poa €
L2.70844.0	Chimera Lightbank Video Pro Plus S, 24"x32" (60X80 cm), incl. 3 front screens	390,00 €
L2.76975.0	Compact Stand Code 050KA LS.1, height 71...235 cm, spigot 16 mm	65,00 €
L2.76976.0	Blk Medium Kit Stand (Maxi) Code 050A LS.2, height 110...260, spigot 16 mm	60,00 €
L2.76985.0	ARRI Super Clamp Code 035	26,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €

ARRILUX POCKETPAR 400



Type of Lamphead:	PAR, 400 W
Lamp Type:	Metal Halide 400 W/SE
Lamp Base:	GZZ 9,5
Lens Diameter:	125 mm
Mounting:	Socket 16 mm
Size (HxWxL)/Packed Size:	244 x 237 x 282 mm / 350 x 485 x 380 mm
Packed Volume:	64505 ccm
Weight/Shipping Weight:	2,6 kg / 4,4 kg
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

PORTABLE DAYLIGHT PAR LIGHTS

(single ended, cable length 2 m)

Ident. No.	Description	Version	Colour	Connector	Price / EURO
L1.70880.0	ARRILUX POCKETPAR 400	PAR	blue/silver	VEAM	1.590,00 €

COMPONENTS:


Ident. No.	Description	Price / EURO
L2.76260.0	EB 400/575, 90-125 V/180-250 V, Schuko-plug, ALF, VEAM, aluminium profile housing	1.850,00 €
L2.76270.B	EBB 200/400, 20-34 VDC battery-ballast, 2xXLR-4 plus, aluminium profile housing	1.805,00 €
L2.76100.0	Superclamp with plate for EB / EBB	85,00 €
L2.74144.0	Yoke for ballast, 16 mm	65,00 €
L2.70880.0	Reflector housing PAR, ARRILUX 400	1.015,00 €
L2.79470.0	4-leaf barndoor, black, 168 mm	59,00 €
L2.79500.0	8-leaf barndoor, black, 168 mm	110,00 €
L2.79471.0	4-leaf barndoor, outsides silver, 168 mm	115,00 €
L2.79460.0	Set of 4 metal scrims (168 mm / 6 5/8")	75,00 €
L2.79460.A	Metal scrim Full Single (168 mm / 6 5/8")	19,00 €
L2.79460.B	Metal scrim Full Double (168 mm / 6 5/8")	22,00 €
L2.79460.C	Metal scrim Half Single (168 mm / 6 5/8")	19,00 €
L2.79460.D	Metal scrim Half Double (168 mm / 6 5/8")	22,00 €

ARRILUX POCKETPAR 400 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L0.77825.0	4 lens set, 130 mm (Spot, Narrow Flood, Flood, Super Flood)	560,00 €
L0.77824.0	5 lens set, 130 mm (Spot, N-Flood, Flood, S-Flood and S-Flood frosted)	700,00 €
L2.77826.0	Spot Lens, 130 mm, blue	140,00 €
L2.77828.0	Narrow Flood Lens, 130 mm, black	140,00 €
L2.77830.0	Flood Lens, 130 mm, green	140,00 €
L2.77832.0	Super Flood Lens, 130 mm, red	140,00 €
L2.77834.0	Super Flood Lens, frosted, 130 mm, silver	140,00 €
L2.70846.0	3/4 CTO (5600 to 3200K), 130 mm	140,00 €
L2.77818.0	Lens Bag for max. 5 lenses, ARRILUX 200/400	30,00 €
L2.89252.P	Lamp MSR 400 GZZ 9,5 Philips HR	poa €
L2.73408.0	Handgrip 16 mm spigot size with thread 3/8", light weight	55,00 €
L2.73406.0	Adapter for handgrip (micro-yoke)	49,00 €
L2.70857.0	Head to ballast cable, 400 W, 7 m	290,00 €
L2.70860.0	Lighthouse 400, clear glass	255,00 €
L2.70860.S	Lighthouse 400, frosted glass	330,00 €
L2.70865.0	Stirrup for lighthouse	120,00 €
L2.70867.0	Shutter for lighthouse	350,00 €
L2.70888.0	Chimera-Adapter for lighthouse complete, contains L2.70898.0 & L2.70837.0	95,00 €
L2.70898.0	Chimera-Adapter for lighthouse, w/o Speedring, in connection with L2.70837.0	45,00 €
L2.70837.0	Chimera-Speed-Ring (9670), only outer ringing, in connection with L2.70898.0	poa €
L2.89068.0	Chimera Speed Ring Circular 6 1/2" (168 mm) for Video Pro Lightbanks 9670	poa €
L2.89074.0	Chimera Speed Ring Circular Metal 6 1/2" (168 mm) f. Video Pro Lightbanks 9670AL	poa €
L2.89069.0	Chimera Speed Ring Circular 6 1/2" (168 mm) for Daylite Junior Lightbanks 9672	poa €
L2.70844.0	Chimera Lightbank Video Pro Plus "S", 24"x32" (60X80 cm), incl. 3 front screens 8125	390,00 €
L2.70940.0	Chimera Lightbank Video Pro Plus M 36"x48" (90X120 cm), incl. 3 front screens 8135	poa €
L2.76258.0	ARRI-Tubolite incl. Case	920,00 €
L2.70845.0	Source Four Adapter Set for ARRILUX 400	425,00 €
L2.70903.0	Small Case for Set without space for lighthouse & shutter, empty	410,00 €
L2.70902.0	Profi-case lighthouse for ARRILUX400 + lighthouse & accesories, empty	500,00 €
L2.76975.0	Compact Stand Code 050KA LS.1, height 71...235 cm, spigot 16 mm	65,00 €
L2.76985.0	ARRI Super Clamp Code 035	26,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €

BALLASTS



LOCATION BALLASTS



ELECTRONIC LOCATION BALLASTS

Ident. No.	Description	Price / EURO
L2.76115.0	EB 200, 90-130 V/180-250 V, Schuko-Plug, ALF, IP23, without Fan, blue standard housing	1.255,00 €
L2.76125.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, blue standard housing	2.635,00 €
L2.76126.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, DMX, blue standard housing	3.025,00 €
L2.76425.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, blue standard housing	2.925,00 €
L2.76426.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, DMX, blue standard housing	3.315,00 €
L2.76427.0	EB 575/1200, 90-125 V/180-250 V, Schuko-Plug, Schaltbau, ALF, blue standard housing	2.925,00 €
L2.76625.0	EB 1200/1800, 90-125 V/180-250 V, Schuko-Plug, VEAM, ALF, CCL, blue standard housing	4.050,00 €
L2.76695.0	EB 2500 Baby, 180-250V, VEAM, ALF, blue standard housing	4.880,00 €
L2.76635.0	EB 2500, 90-125 V/180-250 V, VEAM, ALF, blue standard housing	5.520,00 €
L2.76640.0	EB 2500/4000, 180-250 V VEAM, ALF, blue standard housing	5.855,00 €
L2.76641.0	EB 2500/4000, 180-250 V, VEAM, ALF, DMX, blue standard housing	6.240,00 €
L2.76646.0	EB 2500/4000, 90-125 V/180-250 V, VEAM, DMX, blue standard housing	5.950,00 €
L2.76650.0	EB 2500/4000, 180-250V, VEAM, ALF, CCL, blue standard housing	5.855,00 €
L2.76170.0	EB 6000, 180-250 V, VEAM, blue standard housing	7.735,00 €
L2.76193.0	EB 6000 Baby, 180-250 V, VEAM, ALF, blue standard housing	8.780,00 €
L2.76172.0	EB 6/12 kW, 90-125 (only 6 kW!) / 180-250V, VEAM, ALF, blue standard housing	10.630,00 €

LOCATION BALLASTS (CONTINUE)

Ident. No.	Description	Price / EURO
L2.76182.0	EB 6/12 kW, 90-125 (only 6 kW!) / 180-250 V, VEAM, ALF, DMX blue standard housing	11.020,00 €
L2.76290.0	EB 12/18 kW, 190-250 V VEAM, ALF, with trolley	13.655,00 €
L2.76295.0	EB 12/18 kW, 190-250 V, VEAM, ALF, DMX, for ARRIMAX, with trolley, Indication Lamp Power 12/18 kW	14.630,00 €

ELECTRONIC HIGH SPEED BALLASTS

1000 Hz flickerfree - 125 W - 4000 W

Ident. No.	Description	Price / EURO
L2.76425KH	EB 575/1200 HS, Int, port, 115/230 V, ALF, VEAM, 50 Hz, ff, 1000 Hz, 2 m bare ends, blue standard housing	3.515,00 €
L2.76625KH	EB 1200/1800 HS, Int, port, 115/230 V, ALF, VEAM, CCL 50 Hz, ff, 1000 Hz, 2 m Schuko, blue standard housing	4.840,00 €
L2.76640KH	EB 2500/4000 HS, Int, port, 230 V, ALF, VEAM, 50 Hz, ff, 1000 Hz, 2 m bare ends, blue standard housing	7.020,00 €
L2.76675KH	EB 2500/4000 HS, Int, port, 115/230 V, ALF, VEAM, 60Hz, ff, 1000Hz, 2 m bare ends, blue Standard Housing	7.580,00 €
L2.76181.0	EB 6/9, CCL, ALF, 190 - 250 V, DMX, VEAM	10.500,00 €
L2.76181KH	EB 6/9, CCL, ALF, 190 - 250 V, DMX, 1000 Hz ff, VEAM	11.650,00 €

ELECTRONIC HIGH SPEED BALLASTS

300 Hz flickerfree (6 kW - 18 kW)

Ident. No.	Description	Price / EURO
L2.76172HS	EB 6/12 kW, 90-125 (only 6 kW!) 180-250 V, VEAM, ALF, High Speed, 300 Hz	11.705,00 €

ELECTRONIC LIGHTWEIGHT BALLASTS

Ident. No.	Description	Price / EURO
L2.76013.B	EB 125/200, 90-125 V/180-250 V, 200 Hz, Schuko-Plug, ALF, 125 W-connector: Binder, 200 W-connector: Amphenol, aluminium profile housing	1.075,00 €
L2.76260.0	EB 400/575 VEAM, 90-125 V/180-250 V, 110 Hz, Schuko-Plug, ALF, 400 W-connector: VEAM, 575 W-connector: VEAM, aluminium profile housing	1.850,00 €
L2.76262.0	EB 400/575 Schaltbau, 90-125 V/180-250 V, 110 Hz, Schuko-Plug, ALF, 400 W-connector: VEAM, 575 W-connector: Schaltbau, aluminium profile housing	1.850,00 €

ELECTRONIC BATTERY BALLASTS

Ident. No.	Description	Price / EURO
L2.76040.B	EBB 125/200, 20-34 VDC, 150 Hz, XLR-4 plug, 125 W-connector: Binder, 200 W-conector: Amphenol, aluminium profile housing	1.075,00 €
L2.76270.B	EBB 200/400, 20-34 VDC, 110 Hz, 2 x XLR-4 plug, 200 W-connector: Amphenol, 400 W-connector: VEAM, aluminium profile housing	1.805,00 €

ELECTRONIC BOOSTER BALLASTS

Ident. No.	Description	Price / EURO
L2.76693.0	EB 4000 Booster, 190-250V, Harting connector, ALF, A2 (analog remote control), 19" rack 4HE	8.990,00 €

CHOKE BALLASTS

Ident. No.	Description	Price / EURO
L2.75012.E	CB 1200, 230 V, 50 Hz, connector (VEAM), 1,5 m power cable with EU connector	1.365,00 €
L2.75024.E	CB 2500, 230 V, 50 Hz, DMX, international, 1,5 m power cable with EU connector	2.145,00 €
L2.75870.E	CB 4000 W, 230 V, 50 Hz, DMX, international connector, 1,5 m power cable bare ends	3.900,00 €


EVENT BALLASTS



ELECTRONIC EVENT BALLASTS

Ident. No.	Description	Price / EURO
L2.76259EV	EB 575 Event Single	964,00 €
L2.76340.0	EB 575 Event Six	4.967,00 €
L2.76610.0	EB 1200/1800 EVENT THREE	6.300,00 €
L2.76777.0	EB 200/575/1200 Multifunction	5.733,00 €

TUNGSTEN



TRUE BLUE T1



Type of Lamphead:

Fresnel, 1000 W

Lamp Type:

CP/40 FKJ 1000 W, 230 V

CP/71 FKJ 1000 W, 230 V

Lamp Base:

G22

Lens Diameter:

150 mm

Mounting:

Socket 16 mm ; Spigot 28 mm

Size (HxWxL)/Packed Size:

357 x 323 x 216 mm / 330 x 395 x 390 mm

Packed Volume:

50836 ccm

Weight/Shipping Weight:

6,0 kg / 7,0 kg

Protection Class:

I/IP 23

Certifications:

CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length MAN 3 m, with line switch, P.O. 1,5 m without line switch, incl. 4-leaf barndoor and filterframe)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L3.39610.B	T1	MAN	blue/silver	220-250 VAC	bare ends	610,00 €
L3.39610.D	T1	MAN	blue/silver	220-250 VAC	Schuko plug	620,00 €
L3.39610.I	T1	P.O.	blue/silver	220-250 VAC	bare ends	770,00 €
L3.39615.B	T1	MAN	black	220-250 VAC	bare ends	610,00 €
L3.39615.D	T1	MAN	black	220-250 VAC	Schuko plug	620,00 €
L3.39615.I	T1	P.O.	black	220-250 VAC	bare ends	770,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.39670.0	4-leaf barndoor True Blue, black, 197 mm	80,00 €
L2.39700.0	8-leaf barndoor True Blue, black, 197 mm	120,00 €
L2.79690.0	Filter frame, 197 mm	21,00 €
L2.40701.3	Spigot 28 mm long, with flange & allen screw, for replacement of short T1 spigot	15,00 €
L2.33835.0	Mains indicator 230 V for T1, ST1, T2, ST2, green diode in cable entry. Mounted when ordered with luminaire	40,00 €
L2.79660.0	Metal scrim set, 197mm / 7 3/4", full double, half double, full single, half single	90,00 €
L2.79660.A	Metal scrim, full single, 197 mm / 7 3/4", green	23,00 €
L2.79660.B	Metal scrim, full double, 197 mm / 7 3/4", red	25,00 €
L2.79660.C	Metal scrim, half single, 197 mm / 7 3/4", green	23,00 €
L2.79660.D	Metal scrim, half double, 197 mm / 7 3/4", red	25,00 €

TRUE BLUE T1 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.79680.0	Snoot, 197 mm, with variable aperture	85,00 €
L2.76246.0	Chimera Speed Ring Circular 197 mm (7 3/4") for Video Pro Lightbanks 9190	poa €
L2.70844.0	Chimera Lightbank Video Pro Plus "S", 24"x32" (60x80 cm) depth: 24" (60 cm) incl. 3 front screens 8125	390,00 €
L2.89060.0	Chimera Speed Ring Circular 7 3/4" (197 mm) for Daylite Junior Lightbanks 9192	poa €
L2.89053.0	Chimera Lightbank Daylite Junior Plus S 60x80 cm (24"x32") Depth: 70 cm (27") inkl. 3 frosted screens 8225 (fits Speedring 9192)	poa €
L2.89208.0	Lamp T 1000 (230 V) FKJ64747 Osram G22 (CP71)	poa €
L2.80575.0	CEE-connector 230 V, 16 A (blue), assembled when ordered with lamphead	40,00 €
L2.76956.P	Case for 2 x T1 , 70x39x37 cm (without lampheads)	320,00 €
L2.39712.0	Retrofit kit from manual to pole operated	220,00 €
L2.89079.0	Operating pole 4 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 140 cm, max.: 400 cm, 427B-4,0	245,00 €
L2.89080.0	Operating pole 6.5 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 199 cm, max.: 650 cm, 427B-6,5	307,00 €
L2.76985.0	ARRI Super Clamp Code 035	26,00 €
L2.76809.0	Safety cable with carabiner, 60 cm, diameter: 3 mm	17,00 €
L2.8803653	Master stand, 1004BAC	99,00 €
L2.88717.0	Universal black cine stand, with levelling leg, 5/8in stud & 1 1/8in bushing, 007BA	125,00 €

TRUE BLUE T2



Type of Lamphead:	Fresnel, 2000 W
Lamp Type:	CP/41 FKK 2000 W, 230 V CP/73 FKK 2000 W, 230 V
Lamp Base:	G38
Lens Diameter:	175 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	398 x 375 x 315 mm / 395 x 405 x 470 mm
Packed Volume:	75188 ccm
Weight/Shipping Weight:	7,0 kg / 9,6 kg
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length 3 m, with line switch, incl. 4-leaf barndoor and filterframe)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L3.41250.B	T2	MAN	blue/silver	220-250 VAC	bare ends	750,00 €
L3.41250.D	T2	MAN	blue/silver	220-250 VAC	Schuko plug	760,00 €
L3.41250.I	T2	P.O.	blue/silver	220-250 VAC	bare ends	925,00 €
L3.41255.B	T2	MAN	black	220-250 VAC	bare ends	750,00 €
L3.41255.D	T2	MAN	black	220-250 VAC	Schuko plug	760,00 €
L3.41255.I	T2	P.O.	black	220-250 VAC	bare ends	1.020,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.33811.0	Conversion kit: spill light frame with barndoor insert for ST1 and T2	330,00 €
L2.39870.0	4-leaf barndoor True Blue, black, 245 mm	90,00 €
L2.39900.0	8-leaf barndoor True Blue, black, 245 mm	150,00 €
L2.79890.0	Filter frame, 230 mm	26,00 €
L2.33835.0	Mains indicator 230 V for T1, ST1, T2, ST2. green diode in cable entry. Mounted when ordered with luminaire	40,00 €
L2.79860.0	Metal scrim set, 230mm / 9", full double, half double, full single, half single	95,00 €
L2.79860.A	Metal scrim, full single, 230 mm / 9", green	24,00 €
L2.79860.B	Metal scrim, full double, 230 mm / 9", red	25,00 €
L2.79860.C	Metal scrim, half single, 230 mm / 9", green	24,00 €
L2.79860.D	Metal scrim, half double, 230 mm / 9", red	25,00 €

TRUE BLUE T2 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.79880.0	Snoot, 245 mm with variable aperture	105,00 €
L2.76248.0	Chimera-Adapter 245 mm (9 5/8")	poa €
L2.89213.0	Lamp T 2000 (230 V) 64789 Osram FKK (CP73)	poa €
L2.80575.0	CEE-connector 230 V, 16 A (blue), assembled when ordered with lamphead	40,00 €
L2.89079.0	Operating pole 4 m, 4 sections, 3 rises, tube diameters: 28, 24, 20,16 mm, min.: 140 cm, max.: 400 cm, 427B-4,0	245,00 €
L2.89080.0	16 mm, min.: 140 cm, max.: 400 cm, 427B-4,0	307,00 €
L2.76989.0	Swivelling C Clamp with adjustable slot 28-78 mm, C150	109,00 €
L2.76990.0	Safety cable for C clamp, max. load 20 kg, diameter: 4 mm, length: 1 m, C155	19,00 €
L2.88679.0	Braked wheels set dia. 75 mm / 22 mm for universal black cine stand 007BA, Code 110	73,00 €
L2.76809.0	Safety cable with carabiner, 60 cm, diameter: 3 mm, for loads up to 10 kg	17,00 €
L2.88717.0	Universal black cine stand, with levelling leg, 5/8in stud & 1 1/8in bushing, 007BA	125,00 €

TRUE BLUE T5



Type of Lamphead:	Fresnel, 5000 W
Lamp Type:	CP/29 5000 W, 230 V CP/85 5000 W, 230 V
Lamp Base:	G38
Lens Diameter:	250 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	522 x 465 x 390 mm / 495 x 510 x 555 mm
Packed Volume:	140109 ccm
Weight/Shipping Weight:	11,5 kg / 16,2 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length 3 m, with line switch, incl. 4-leaf barndoor and filterframe)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L3.40000.B	T5	MAN	blue/silver	220-250 VAC	bare ends	1.195,00 €
L3.40005.B	T5	MAN	black	220-250 VAC	bare ends	1.195,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.40950.0	4-leaf barndoor, black, True Blue, 344 mm	100,00 €
L2.40960.0	8-leaf barndoor True Blue, black, 344 mm	210,00 €
L2.80970.0	Filter frame, 330 mm	38,00 €
L2.40799.0	Set: 4 longer acc. brackets, with spill light guard, for longer lasting gels, suitable for ST2, T5	poa €
L2.33811.0	Conversion kit for spill light frame, ST1 and T2, 200 mm	330,00 €
L2.80980.0	Metal scrim set, 330 mm / 13", full double, half double, full single, half single	135,00 €
L2.80980.A	Metal scrim, full single, 330 mm / 13", green	35,00 €
L2.80980.B	Metal scrim, full double, 330 mm / 13", red	40,00 €
L2.80980.C	Metal scrim, half single, 330 mm / 13", green	35,00 €
L2.80980.D	Metal scrim, half double, 330 mm / 13", red	40,00 €
L2.80975.0	Snoot, 344 mm, with variable aperture	poa €
L2.76247.0	Chimera Speed Ring 344 mm (13 1/2")	poa €

TRUE BLUE T5 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89054.0	Chimera Lightbank Quartz Plus S 24"x32" (60x80 cm) depth: 22" (55 cm) incl. 3 front screens 8635	poa €
L2.89058.0	Chimera Lightbank Daylite Plus M 36"x48" (90x120 cm) depth: 40" (100 cm) incl. 3 front screens 8635	poa €
L2.89214.0	Lamp T 5000 (CP 85) G38 Osram 64805	poa €
L2.89214.P	Lamp T 5000 (240 V) G38 Philips (CP85)	poa €
L2.76979.0	Stand AS 5 chromed steel MA 126 A LS.126A, 2 sections, height 131...333 cm, closed 131 cm, spigot 16 mm and socket 28 mm, max. load 20 kg	160,00 €
L2.76989.0	Swivelling C Clamp with adjustable slot 28-78 mm, C150	109,00 €
L2.76990.0	Safety cable for C clamp, max. load 20 kg, diameter: 4 mm, length: 1 m	19,00 €

ARRILITE 750 Plus



Type of Lamphead:

Open Face with facet reflector, 750 W

Lamp Type:

HPL* 750 W, 575 W, 375 W
GKV** 600 W, FKR 650 W, HX 800 W

Lamp Base:

G 9,5

Mounting:

Socket 16 mm

Size (HxWxL)/Packed Size:

226 x 230 x 224 mm / 260 x 230 x 290 mm

Packed Volume:

17160 ccm

Weight/Shipping Weight:

1,6 kg / 3,1 kg

Protection Class:

I/IP 20

Certifications:

CE, CB, GS, cNRTL

TUNGSTEN PORTABLE LIGHTS

(cable length 3 m, incl. 4-leaf barndoor and accessory holder)

Ident. No.	Description	Colour	Connector	Price / EURO
L3.36700.B	ARRILITE 750 Plus, incl. 4-leaf barndoor and accessory holder	blue	bare ends	370,00 €
L3.36700.D	ARRILITE 750 Plus, incl. 4-leaf barndoor and accessory holder	blue	bare ends	370,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.79470.0	4-leaf barndoor, black, 168 mm	59,00 €
L2.36780.0	Accessory holder for ARRILITE 750 Plus	52,00 €
L2.79460.0	Set of 4 scrims (168 mm / 6 5/8")	75,00 €
L2.79460.A	Full Single (168 mm / 6 5/8")	19,00 €
L2.79460.B	Full Double (168 mm / 6 5/8")	22,00 €
L2.79460.C	Half Single (168 mm / 6 5/8")	19,00 €
L2.79460.D	Half Double (168 mm / 6 5/8")	22,00 €
L2.76966.0	Dichroic daylight filter, 166 mm	120,00 €
L2.77180.0	ARRI filter pack: 2x Frost (F2), 2x heavy Frost (129), 2x daylight blue Frost (224), 2x daylight 3/4 blue (201)	35,00 €
L2.70844.0	Chimera Lightbank Video Pro Plus "S", 24"x32" (60x80 cm) depth: 24" (60 cm) incl. 3 front screens 8125	390,00 €
L2.36800.0	Lamp HPL* 750 W / 230 V, G9,5 Osram 93729	poa €
L2.36805.0	Lamp HX** 800 W / 230 V, G9,5 GE 64678	poa €

ARRILITE 750 Plus (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.36770.0	Lamp cooling adapter	32,00 €
L2.36806.0	Case empty for 3 lampheads, 81x36x34 mm, without wheels	320,00 €
L2.36806.R	Case empty for 3 lampheads, 81x36x34 mm, with wheels	365,00 €
L2.36807.R	Case empty for 4 lampheads, 100x40x34 mm, with wheels	420,00 €
L2.88020.0	Soft bag for stands or f-rolls for 6' b-frames & 51" gel roll	poa €
L2.73408.0	Handgrip 16 mm spigot size with thread 3/8" light weight	55,00 €
L2.76965.0	Compact Stand Code 050MKA LS.01 3 sections, height 90...260 cm, closed 76 cm, spigot 16 mm, max. load 5 kg	65,00 €
L2.76976.0	Blk Medium Kit Stand (Maxi) Code 050A LS.2 2 sections, height 110...260 cm, closed 88 cm, spigot 16 mm, max. load 5 kg	60,00 €
L2.8803653	Master stand, 1004BAC	99,00 €
L2.76985.0	ARRI Super Clamp Code 035	26,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €

* HPL lamp invented by and licensed from David Cunningham

** in combination with lamp cooling adapter L2.36770.0



ARRILITE 2000 Plus

Type of Lamphead:	Open Face with facet reflector, 2000 W
Lamp Type:	FEX 2000 W
Lamp Base:	RX7s
Mounting:	Socket 16 mm
Size (HxWxL)/Packed Size:	317 x 355 x 241 mm / 375 x 345 x 320 mm
Packed Volume:	41400 ccm
Weight/Shipping Weight:	3,0 kg / 5,5 kg
Protection Class:	I/IP 20
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN PORTABLE LIGHTS

(cable length 3 m, incl. 4-leaf barndoor)

Ident. No.	Description	Colour	Connector	Price / EURO
L3.36500.B	ARRILITE 2000 Plus, incl. 4-leaf barndoor	blue	bare ends	465,00 €
L3.36500.D	ARRILITE 2000 Plus, incl. 4-leaf barndoor	blue	Schuko plug	465,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.76522.0	4-leaf barndoor, black, 235 mm	85,00 €
L2.76950.0	Metal scrim set, 254 mm / 10in, full double, half double, full single, half single	90,00 €
L2.76950.A	Metal scrim, full single, 254 mm / 10", green	23,00 €
L2.76950.B	Metal scrim, full double, 254 mm / 10", red	25,00 €
L2.76950.C	Metal scrim, half single, 254 mm / 10", green	23,00 €
L2.76950.D	Metal scrim, half double, 254 mm / 10", red	25,00 €
L2.76571.0	Dichroic filter, 254 mm	265,00 €
L2.77180.0	ARRI filter pack: 2x Frost (F2), 2x heavy Frost (129), 2x daylight blue Frost (224), 2x daylight 3/4 blue (201)	35,00 €
L2.89061.0	Chimera speed ring circular 10" (255 mm) Quartz Daylite 9225	poa €
L2.89054.0	Chimera Lightbank Quartz Plus S 24"x32" (60x80 cm) depth: 22" (55 cm) incl. 3 front screens 8635	poa €
L2.89212.0	Lamp T 2000 (230 V) 64781 Osram FEX P2/27 54514	poa €
L2.89212.U	Lamp T 2000 (240 V) R7s Ushio P2/27	poa €

ARRILITE 2000 Plus (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89236.G	Lamp 2000 W P2/27(FEY)(120v) GE	poa €
L2.76956.P	Case empty for 2 lampheads, 70x39x37 cm	320,00 €
L2.73408.0	Handgrip 16 mm spigot size with thread 3/8" light weight	55,00 €
L2.76976.0	Blk Medium Kit Stand (Maxi) Code 050A LS.2 2 sections, height 110...260 cm, closed 88 cm, spigot 16 mm, max. load 5 kg	60,00 €
L2.8803653	Master Stand, 1004BAC	99,00 €
L2.76985.0	ARRI Super Clamp Code 035	26,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €

TRUE BLUE ST1



Type of Lamphead:	Fresnel, 1000 W
Lamp Type:	CP/40 FKJ 1000 W, 230 V CP/71 FKJ 1000 W, 230 V
Lamp Base:	G22
Lens Diameter:	175 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	398 x 362 x 325 mm / 395 x 405 x 475 mm
Packed Volume:	75988 ccm
Weight/Shipping Weight:	7,0 kg / 9,2 kg
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length 1,5 m, without line switch, except location version, incl. 4-leaf barndoor and filterframe)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L3.40500.B	ST1	MAN	blue/silver	220-250 VAC	bare ends	660,00 €
L3.40500.D	ST1	MAN	blue/silver	220-250 VAC	Schuko plug	670,00 €
L3.40500.I	ST1	P.O.	blue/silver	220-250 VAC	bare ends	855,00 €
L3.40500.K	ST1	P.O.	blue/silver	220-250 VAC	Schuko plug	865,00 €
L3.40505.B	ST1	MAN	black	220-250 VAC	bare ends	660,00 €
L3.40505.D	ST1	MAN	black	220-250 VAC	Schuko plug	670,00 €
L3.40505.I	ST1	P.O.	black	220-250 VAC	bare ends	855,00 €
L3.40505.K	ST1	P.O.	black	220-250 VAC	Schuko plug	865,00 €
L3.40500LB	ST1 Location (with location top latch, inline switch and 3 m cable length)	MAN	blue/silver	220-250 VAC	bare ends	720,00 €
L3.40505.L	ST1/2	P.O.	black	220-250 VAC	bare ends	960,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.39870.0	4-leaf barndoor, black, True Blue, 245 mm	90,00 €
L2.39900.0	8-leaf barndoor, black, True Blue, 245 mm	150,00 €
L2.79890.0	Filter frame, 230 mm	26,00 €
L2.33835.0	Mains indicator 230 V for T1, ST1, T2, ST2. green diode in cable entry. Mounted when ordered with luminaire	40,00 €

TRUE BLUE ST1 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.33811.0	Conversion kit: spill light frame with barndoor insert for ST1 and T2	330,00 €
L2.79860.0	Metal scrim set, 230 mm / 9", full double, half double, full single, half single	95,00 €
L2.79860.A	Metal scrim, full single, 230 mm / 9", green	24,00 €
L2.79860.B	Metal scrim, full double, 230 mm / 9", red	25,00 €
L2.79860.C	Metal scrim, half single, 230 mm / 9", green	24,00 €
L2.79860.D	Metal scrim, half double, 230 mm / 9", red	25,00 €
L2.79880.0	Snoot, 245 mm with variable aperture	105,00 €
L2.76248.0	Chimera Speed Ring Circular 245 mm (9 5/8") for Quartz/Daylite Lightbanks 9205	poa €
L2.89208.0	Lamp T 1000 (230 V) FKJ64747 Osram G22 (CP71)	poa €
L2.80575.0	CEE-connector 230 V, 16 A (blue), assembled when ordered with lamphead	40,00 €
L2.89079.0	Operating pole 4 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 140 cm, max.: 400 cm, 427B-4,0	245,00 €
L2.89080.0	Operating pole 6,5 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 199 cm, max.: 650 cm, 427B-6,5	307,00 €
L2.88717.0	Universal black cine stand (5/8" & 1 5/8" Fittings) 007BA (LS.4)	125,00 €
L2.76989.0	Swivelling C Clamp with adjustable slot 28-78 mm, C150	109,00 €
L2.8803224	Combo double riser stand with Lazy Leg - Chrome Steel (A1035CS)	311,00 €

TRUE BLUE ST2/3



Type of Lamphead:	Fresnel, 2000 W
Lamp Type:	CP/41 FKK 2000 W, 230 V CP/73 FKK 2000 W, 230 V HX48 3000W 230-240V
Lamp Base:	G38
Lens Diameter:	250 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	522 x 448 x 380 mm / 495 x 515 x 550 mm
Packed Volume:	140208 ccm
Weight/Shipping Weight:	12,0 kg / 15,0 kg
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length 1,5 m, without line switch, except location version, incl. 4-leaf barndoor and filterframe)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L3.40750.B	ST2/3	MAN	blue/silver	220-250 VAC	bare ends	990,00 €
L3.40750.D	ST2/3	MAN	blue/silver	220-250 VAC	Schuko plug	1.000,00 €
L3.40750.I	ST2/3	P.O.	blue/silver	220-250 VAC	bare ends	1.205,00 €
L3.40750.K	ST2/3	P.O.	blue/silver	220-250 VAC	Schuko plug	1.215,00 €
L3.40755.B	ST2/3	MAN	black	220-250 VAC	bare ends	990,00 €
L3.40755.D	ST2/3	MAN	black	220-250 VAC	Schuko plug	1.000,00 €
L3.40755.I	ST2/3	P.O.	black	220-250 VAC	bare ends	1.205,00 €
L3.40755.K	ST2/3	P.O.	black	220-250 VAC	Schuko plug	1.215,00 €
L3.40750LB	ST2 Location (with location top latch, inline switch and 3 m cable length)	MAN	blue/silver	220-250 VAC	bare ends	1.025,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.40950.0	4-leaf barndoor True Blue, black, 344 mm	100,00 €
L2.40960.0	8-leaf barndoor True Blue, black, 344 mm	210,00 €
L2.80970.0	Filter frame, 330 mm	38,00 €
L2.40799.0	Set: 4 longer acc. brackets, with spill light guard, for longer lasting gels, suitable for ST2, T5	poa €

TRUE BLUE ST2/3 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.33835.0	Mains indicator 230 V for T1, ST1, T2, ST2, green diode in cable entry. Mounted when ordered with luminaire	40,00 €
L2.80980.0	Metal scrim set, 330 mm / 13", full double, half double, full single, half single	135,00
L2.80980.A	Metal scrim, full single, 330 mm / 13"	35,00 €
L2.80980.B	Metal scrim, full double, 330 mm / 13", red	40,00 €
L2.80980.C	Metal scrim, half single, 330 mm / 13", green	35,00 €
L2.80980.D	Metal scrim, half double, 330 mm / 13", red	40,00 €
L2.80975.0	Snoot, 344 mm, with variable aperture	poa €
L2.76247.0	Chimera Speed Ring Circular 13 1/2" (343 mm) for Quartz/Daylite Lightbanks 9305	poa €
L2.89054.0	Chimera Lightbank Quartz Plus S 24"x32" (60x80 cm) depth: 22" (55 cm) incl. 3 front screens 8635	poa €
L2.89213.G	Lamp T 2000 W 240V CP41/CP73 GE	poa €
L2.89213.0	Lamp T 2000 W (230 V) 64789 Osram FKK (CP73)	poa €
L2.80575.0	CEE-connector 230 V, 16 A (blue), assembled when ordered with lamphead	40,00 €
L2.89079.0	Operating pole 4 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 140 cm, max.: 400 cm, 427B-4,0	245,00 €
L2.89080.0	Operating pole 6,5 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 199 cm, max.: 650 cm, 427B-6,5	307,00 €
L2.76979.0	ARRI stand AS.5, chrome, steel, 2 sections, height 131...333 cm, closed 131 cm, spigot 16 mm and socket 28 mm, max. load 20 kg, 126A	160,00 €
L2.76989.0	Swivelling C Clamp with adjustable slot 28-78 mm, C150	109,00 €
L2.76990.0	Safety cable for C clamp, max. load 20 kg, diameter: 4 mm, length: 1 m, C155	19,00 €



TRUE BLUE ST5

Type of Lamphead:	Fresnel, 5000 W
Lamp Type:	CP/85 5000 W, 230 V CP/29 5000 W, 230 V
Lamp Base:	G38
Lens Diameter:	300 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	595 x 518 x 393 mm / 575 x 605 x 605 mm
Packed Volume:	210464 ccm
Weight/Shipping Weight:	15,0 kg / 20,0 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length 2 m, without line switch, except location version, incl. 4-leaf barndoor and filterframe)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L3.41000.B	ST5	MAN	blue/silver	220-250 VAC	bare ends	1.285,00 €
L3.41000.I	ST5	P.O.	blue/silver	220-250 VAC	bare ends	1.500,00 €
L3.41005.B	ST5	MAN	black	220-250 VAC	bare ends	1.285,00 €
L3.41005.I	ST5	P.O.	black	220-250 VAC	bare ends	1.500,00 €
L3.41000LB	ST5 Location (with location top latch, inline switch and 3 m cable length)	MAN	blue/silver	220-250 VAC	bare ends	1.390,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.41200.0	4-leaf barndoor True Blue, black, 413 mm	120,00 €
L2.81210.0	8-leaf barndoor True Blue, black, 413 mm	230,00 €
L2.81220.0	Filter frame, 400 mm	40,00 €
L2.34065.0	Conversion kit: Spill light frame with barndoor insert for ST5	470,00 €
L2.81225.0	Snoot, 413 mm, with variable aperture	poa €
L2.81230.0	Metal scrim set, 400 mm / 15 3/4", full double, half double, full single, half single	155,00 €
L2.81230.A	Metal scrim, full single, 400 mm / 15 3/4", green	40,00 €
L2.81230.B	Metal scrim, full double, 400 mm / 15 3/4", red	45,00 €
L2.81230.C	Metal scrim, half single, 400 mm / 15 3/4", green	40,00 €
L2.81230.D	Metal scrim, half double, 400 mm / 15 3/4", red	45,00 €

TRUE BLUE ST5 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89062.0	Chimera Speed Ring Circular 411 mm (16 1/8") for Quartz/Daylite Lightbanks 9365	poa €
L2.89058.0	Chimera Lightbank Daylite Plus M 36"x48" (90x120 cm) depth: 40" (100 cm) incl. 3 front screens 8635	poa €
L2.89059.0	Chimera Lightbank Daylite Plus L 54"x72" (135x180 cm) depth: 48" (120 cm) incl. 3 front screens 8645	poa €
L2.89214.0	Lamp T 5000 CP 85 G38 Osram 64805	poa €
L2.89214.P	Lamp T 5000 (240 V) G38 Philips CP29 (CP85)	poa €
L2.89079.0	Operating pole 4 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 140 cm, max.: 400 cm, 427B-4,0	245,00 €
L2.89080.0	Operating pole 6.5 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 199 cm, max.: 650 cm, 427B-6,5	307,00 €
L2.8800561	Wind-up stand AS-6, with wheels, 1 section, height 139...247cm, closed 153 cm, spigot 16 mm and socket 28 mm, 083NW	440,00 €
L2.76959.0	Braked wheel set suitable for AS-6, 104, 3-fach, 75 mm diameter	62,00 €
L2.76989.0	Swivelling C clamp with adjustable slot 28-78 mm, C150	109,00 €
L2.8803225	Lightweight combo double riser with lazy Leg/Black Alu, A1035B	311,00 €
L2.76990.0	Safety cable for C clamp, max. load 20 kg, diameter: 4 mm, length: 1 m, C155	19,00 €



TRUE BLUE ST1/2 THEATRE

Type of Lamphead:	Fresnel, 1000 W
Lamp Type:	CP/40 FKJ 1000 W, 230 V CP/71 FKJ 1000 W, 230 V
Lamp Base:	G38/G22
Lens Diameter:	175 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	398 x 374 x 309 mm / 460 x 400 x 520 mm
Packed Volume:	95680 ccm
Weight/Shipping Weight:	8,1 kg / 10,5 kg
Protection Class:	I/IP 23
Certifications:	CE, CB, GS

TUNGSTEN FRESNEL LIGHTS

(cable length 1,5 m, without line switch)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L1.40515.B	ST1/2 Theatre (without barndoor & filter frame)	MAN	black	220-250 VAC	bare ends	1.080,00 €
L1.40525.B	ST1/2 Theatre (without barndoor & filter frame)	MOT	black	220-250 VAC	bare ends	1.005,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.39870.0	4-leaf barndoor, black, True Blue, 245 mm	90,00 €
L2.39900.0	8-leaf barndoor, black, True Blue, 245 mm	150,00 €
L2.79890.0	Filter frame, 230 mm	26,00 €
L2.33835.0	Mains indicator 230 V for T1, ST1, T2, ST2. green diode in cable entry. Mounted when ordered with luminaire	40,00 €
L2.33811.0	Conversion kit: spill light frame with barndoor insert for ST1 and T2	330,00 €
L2.33817.0	Theatre filter frame, square, for ST1/2 theatre, 245 mm	30,00 €
L2.79880.0	Snoot, 245 mm with variable aperture	105,00 €
L2.89208.0	Lamp T 1000 (230 V) FKJ64747 Osram G22 (CP71)	poa €
L2.80575.0	CEE-connector 230 V, 16 A (blue), assembled when ordered with lamphead	40,00 €
L2.89079.0	Operating pole 4m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 140 cm, max.: 400 cm, 427B-4,0	245,00 €
L2.89080.0	Operating pole 6.5 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 199 cm, max.: 650 cm, 427B-6,5	307,00 €
L2.76809.0	Safety cable with carabiner, 60 cm, diameter: 3 mm, for loads up to 10 kg	17,00 €



TRUE BLUE ST5 THEATRE

Type of Lamphead:	Fresnel, 5000 W
Lamp Type:	CP/85 5000 W, 230 V CP/29 5000 W, 230 V
Lamp Base:	G38
Lens Diameter:	300 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	705 x 534 x 427 mm / 600 x 600 x 750 mm
Packed Volume:	270000 ccm
Weight/Shipping Weight:	21,8 kg / 25,3 kg (with pallet)
Protection Class:	I/IP 23
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length 2 m, without line switch)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L1.41015.B	ST5 Theatre (without barndoor & filter frame)	MAN	black	220-250 VAC	bare ends	1.800,00 €
L1.41025.B	ST5 Theatre (without barndoor & filter frame)	MOT	black	220-250 VAC	bare ends	1.645,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.41200.0	4-leaf barndoor True Blue, black, 413 mm	120,00 €
L2.81210.0	8-leaf barndoor True Blue, black, 413 mm	230,00 €
L2.81220.0	Filter frame, 400 mm	40,00 €
L2.34065.0	Conversion kit: Spill light frame with barndoor insert for ST5	470,00 €
L2.34071.0	Conversion kit: Theatre stirrup for ST5	198,00 €
L2.81225.0	Snoot, 413 mm, with variable aperture	poa €
L2.34067.0	Theatre filter frame, square, ST5 Theatre, 413 mm	45,00 €
L2.89214.0	Lamp T 5000 CP 85 G38 Osram 64805	poa €
L2.89214.P	Lamp T 5000 (240 V) G38 Philips CP29 (CP85)	poa €
L2.89079.0	Operating pole 4 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 140 cm, max.: 400 cm, 427B-4,0	245,00 €
L2.89080.0	Operating pole 6,5 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 199 cm, max.: 650 cm, 427B-6,5	307,00 €
L2.76990.0	Safety cable for C clamp, max. load 20 kg, diameter: 4 mm, length: 1 m, C155	19,00 €



CYC FLOODLIGHT

Type of Lamphead:	Flood, 1250 W (single)
Lamp Type:	P2/12, 1250 W, 230 V P2/10, 650 W 230 V 1000 W R7s 230 V
Lamp Base:	R7s (189mm)
Mounting:	Not included in delivery
Size (HxWxL)/Packed Size:	408 x 394,5 x 219 mm / 420 x 410 x 510 mm
Packed Volume:	880215 ccm
Weight/Shipping Weight:	4,0 kg / 6,0 kg
Protection Class:	I/IP 20
Certifications:	CE

TUNGSTEN BROAD LIGHTS

(cable length 0,8 m)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L1.84300.B	FLOOD 1250 Single	MAN	black	220-250 VAC	bare ends	390,00 €
L1.84300.I	FLOOD 1250 Single	P.O.	black	220-250 VAC	bare ends	500,00 €
L1.84200.B	CYC 1250 Single	MAN	black	220-250 VAC	bare ends	390,00 €
L1.84200.I	CYC 1250 Single	P.O.	black	220-250 VAC	bare ends	500,00 €
L1.84210.B	CYC 1250 2-Bank Line	MAN	black	220-250 VAC	bare ends	685,00 €
L1.84210.I	CYC 1250 2-Bank Line	P.O.	black	220-250 VAC	bare ends	820,00 €
L1.84230.B	CYC 1250 4-Cube	MAN	black	220-250 VAC	bare ends	1.310,00 €
L1.84230.I	CYC 1250 4-Cube	P.O.	black	220-250 VAC	bare ends	1.475,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.84240.0	4-leaf barndoor, black	105,00 €
L2.84245.0	Filter frame for CYC / FLOOD	48,00 €
L2.89211.G	Lamp T 1250 (230 V) Y1250T3/4CL GE P2/12 R7s-15 (189 mm)	poa €
L2.89211.0	Lamp T 1250 (230 V) 64751 Osram Rx7S-15 (189 mm)	poa €
L2.89210.0	Lamp T 1000 (230 V) 64741 Osram Rx7S-15 (189 mm)	poa €
L2.89079.0	Operating pole 4 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 140 cm, max.: 400 cm, 427B-4,0	245,00 €

CYC FLOODLIGHT (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89080.0	Operating pole 6,5 m, 4 sections, 3 rises, tube diameters: 28, 24, 20, 16 mm, min.: 199 cm, max.: 650 cm, 427B-6,5	307,00 €
L2.88717.0	Universal black cine stand (5/8" & 1 5/8" Fittings) 007BA (LS.4)	125,00 €
L2.76989.0	Swivelling C Clamp with adjustable slot 28-78 mm, C150	109,00 €
L2.76990.0	Safety cable for C clamp, max. load 20 kg, diameter: 4 mm, length: 1 m, C155	19,00 €
L2.76985.0	ARRI super clamp Code 035	26,00 €
L2.76986.0	Spigot 16 mm with 3/8" thread for usage with super clamp M035	5,00 €
L2.40701.3	Spigot 28 mm long with flange & allen screw (for hanging operation)	15,00 €
L2.40701.4	28 mm spigot / 16 mm socket, without flange, with screw (for stand operation)	14,00 €



STUDIO T12

Type of Lamphead:	Fresnel, 12000 W
Lamp Type:	12000 W monoplane, 230 V CP/83 10000 W monoplane, 230 V
Lamp Base:	G38
Lens Diameter:	420 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	748 x 682 x 562 mm / 695 x 725 x 780 mm
Packed Volume:	393023 ccm
Weight/Shipping Weight:	25,0 kg / 31,5 kg (with pallet)
Protection Class:	I/IP 20
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length 4 m, incl. 4-leaf barndoor)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L0.82120.B	STUDIO T 12	MAN	blue/silver	220-250 VAC	bare ends	3.200,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.82150.0	4-leaf barndoor, black, 510 mm	410,00 €
L2.82155.0	Filter frame, 495 mm	105,00 €
L2.82160.0	Set of 4 scrims (495 mm / 19 1/2")	205,00 €
L2.82160.A	Full Single (495 mm / 19 1/2")	55,00 €
L2.82160.B	Full Double (495 mm / 19 1/2")	55,00 €
L2.82160.C	Half Single (495 mm / 19 1/2")	55,00 €
L2.82160.D	Half Double (495 mm / 19 1/2")	55,00 €
L2.89063.0	Chimera Speed Ring Circular 20" (508 mm) for Quartz/Daylite Lightbanks 9435	poa €
L2.89059.0	Chimera Lightbank Daylite Plus L 54"x72" (135x180 cm) depth: 48" (120 cm) incl. 3 front screens 8645	poa €
L2.89215.G	Lamp 10000 W CP83 (240 V) GE	poa €
L2.89215.0	Lamp T 10000 G38 (CP83) Osram ECR 64815	poa €
L2.89217.G	Lamp T 12000 (240 V) G38 GE KP 120H MT26/CL	poa €

STUDIO T12 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89265.G	Lamp T 12000 GE KP120 GE Q12MT26/CL230V	poa €
L2.8800561	ARRI wind-up stand with wheels Code 083NWA LS.6 1 section, height 139...247, closed 153 cm, spigot 16 mm and socket 28 mm, max. load 45 kg	440,00 €
L2.76959.0	Braked wheel Set for AS 6 104	62,00 €
L2.76989.0	ARRI swivelling C clamp C150	109,00 €
L2.80864.0	Safety cable with carabiner, 1 m length, 5 mm thick	15,00 €



STUDIO T24

Type of Lamphead:	Fresnel, 24000 W
Lamp Type:	24000 W monoplane CP99 20000 W monoplane, 230 V
Lamp Base:	G38
Lens Diameter:	625 mm
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	1068 x 1040 x 830 mm 1135 x 1050 x 1170 mm
Packed Volume:	1394350 ccm
Weight/Shipping Weight:	60,6 kg / 114 kg (with pallet)
Protection Class:	I/IP 20
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length 1 m)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L1.82270.B	Studio T24	MAN	blue/silver	220-250 VAC	International	9.790,00 €
L0.82270.D	Studio T24 (incl. barndoor, dimmer ADM 24, mains cable, head to dimmer cable 15 m)	MAN	blue/silver	220-250 VAC	International	16.245,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.71100.0	4-leaf barndoor, black, 740 mm	635,00 €
L2.71110.0	Filter frame, 740 mm	170,00 €
L2.71115.0	Scrim Set, full double, half double, full single, half single, 740 mm / 29"	325,00 €
L2.71115.A	Scrim, full single, 740 mm / 29"	80,00 €
L2.71115.B	Scrim, full double, 740 mm / 29"	85,00 €
L2.71115.C	Scrim, half single, 740 mm / 29"	80,00 €
L2.71115.D	Scrim, half double, 740 mm / 29"	85,00 €
L2.89064.0	Chimera Speed Ring Circular 29" (735 mm) for Daylite Senior Lightbanks 9464	poa €
L2.89218.0	Lamp T 20000 (230 V) G38 Osram 64808 CP99	poa €
L2.89218.K	Lamp T 20000 (240 V) G38 GE	poa €
L2.89219.K	Lamp T 24000 (240 V) G 38 GE	poa €
L2.82765.0	Retrofit lampcarriage with fan T24 (220/230 voltage version)	1.620,00 €

STUDIO T24 (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.83396.0	Retrofit lampcarriage with fan T24 (200 voltage version)	1.620,00 €
L2.82296.0	ADM 24, Dimmer 24 kW	4.130,00 €
L2.82297.0	Mains cable to Dimmer 24 kW	800,00 €
L2.82294.0	Connection cable Dimmer to Luminaire, 15 m	970,00 €
L2.82294.A	Connection cable Dimmer to Luminaire, 20 m	poa €
L2.80866.0	Safety cable with carabiner, 1 m length, 6 mm thick	15,00 €

ARRI 150



Type of Lamphead:	Fresnel, 150 W
Lamp Type:	150W-240V 150W-120V 100W-240V
Lamp Base:	GX6,35
Lens Diameter:	50 mm
Mounting:	Socket 16 mm
Size (HxWxL)/Packed Size:	163 x 132 x 168 mm / 145 x 175 x 280 mm
Packed Volume:	7105 ccm
Weight/Shipping Weight:	0,8 kg / 1,6 kg
Protection Class:	I/IP 20
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length 3,5 m, incl. 4-leaf barndoor and filterframe)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L3.79360.B	ARRI 150	with switch	blue/silver	90-250 VAC	bare ends	305,00 €
L3.79360.D	ARRI 150	with switch	blue/silver	90-250 VAC	Schuko plug	310,00 €
L3.79360.E	ARRI 150	with dimmer	blue/silver	90-250 VAC	bare ends	340,00 €
L3.79360.F	ARRI 150	with dimmer	blue/silver	90-250 VAC	Schuko plug	345,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.79380.0	4-leaf barndoor, black, 78 mm	40,00 €
L2.79395.0	Filter frame, 78 mm	14,00 €
L2.73466.0	Set of 4 metal scrims (78 mm / 3")	45,00 €
L2.73466.A	Metal scrim Full Single (78 mm / 3")	12,00 €
L2.73466.B	Metal scrim Full Double (78 mm / 3")	13,00 €
L2.73466.C	Metal scrim Half Single (78 mm / 3")	12,00 €
L2.73466.D	Metal scrim Half Double (78 mm / 3")	13,00 €
L2.79390.0	Snoot, 78 mm	37,00 €
L2.89202.0	Lamp T 150 W (240W) Osram GX 6,35	poa €
L2.76975.0	Compact Stand Code 050KA LS.1, height 71...235 cm, spigot 16 mm	65,00 €
L2.76965.0	Compact Stand Code 050MKA LS.01, height 90...260 cm, spigot 16 mm	65,00 €
L2.76985.0	ARRI Super Clamp Code 035	26,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €

ARRI 300 Plus



Type of Lamphead:	Fresnel, 300 W
Lamp Type:	CP/81 FSL 300 W-230 V CP/81 FWK 300 W-120 V
Lamp Base:	GY 9,5
Lens Diameter:	80 mm
Mounting:	Socket 16 mm
Size (HxWxL)/Packed Size:	233 x 187 x 160 mm / 275 x 190 x 240 mm
Packed Volume:	12540 ccm
Weight/Shipping Weight:	1,8 kg / 2,9 kg
Protection Class:	I/IP 20
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length 3,5 m, incl. 4-leaf barn door and filterframe)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L3.79200.B	ARRI 300 Plus	MAN	blue/silver	90-250 VAC	bare ends	360,00 €
L3.79200.D	ARRI 300 Plus	MAN	blue/silver	90-250 VAC	Schuko plug	365,00 €
L3.79205.B	ARRI 300 Plus	MAN	black	90-250 VAC	bare ends	360,00 €
L3.79205.D	ARRI 300 Plus	MAN	black	90-250 VAC	Schuko plug	365,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.79170.0	4-leaf barn door, black, 130 mm	45,00 €
L2.79190.0	Filter frame, 130 mm	19,00 €
L2.79160.0	Set of 4 metal scrims (130 mm / 5")	65,00 €
L2.79160.A	Metal scrim Full Single (130 mm / 5")	17,00 €
L2.79160.B	Metal scrim Full Double (130 mm / 5")	19,00 €
L2.79160.C	Metal scrim Half Single (130 mm / 5")	17,00 €
L2.79160.D	Metal scrim Half Double (130 mm / 5")	19,00 €
L2.79180.0	Snoot, 130 mm	53,00 €
L2.89203.G	Lamp T 300 W (240 V) GE GY 9,5 (CP 81)	poa €
L2.89203.0	Lamp T 300 W (240 V) Osram GY 9,5 (CP81)	poa €
L2.89067.0	Chimera Speed Ring Circular 5" (130 mm) for Video Pro Lightbanks 9640	poa €
L2.76719.0	Chimera Lightbank Video Pro Plus XS 16"x22" (40x55 cm) depth: 12" (30 cm) incl. front screens 8115	poa €

ARRI 300 Plus (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.70844.0	Chimera Lightbank Video Pro Plus "S", 24"x32" (60X80 cm) depth: 24" (60 cm) incl. 3 front screens 8125	390,00 €
L2.88020.0	Soft bag for stands or f-rolls for 6' b-frames & 51" gel roll	poa €
L2.76965.0	Compact Stand Code 050MKA LS.01, height 90...260 cm, spigot 16 mm	65,00 €
L2.76976.0	Blk Medium Kit Stand (Maxi) Code 050A LS.2, height 110...260 cm, spigot 16 mm	60,00 €
L2.76985.0	ARRI Super Clamp Code 035	26,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €



ARRI 650 Plus

Type of Lamphead:	Fresnel, 650 W
Lamp Type:	CP/89 FRL 650 W-230 V CP/89 FRK 650 W-120 V CP/82 500 W, CP/81 300 W
Lamp Base:	GY 9,5
Lens Diameter:	112 mm
Mounting:	Socket 16 mm
Size (HxWxL)/Packed Size:	276 x 220 x 190 mm / 295 x 220 x 255 mm
Packed Volume:	16588 ccm
Weight/Shipping Weight:	2,6 kg / 3,5 kg
Protection Class:	I/IP 20
Certifications:	CE, CB, GS, cNRTL

TUNGSTEN FRESNEL LIGHTS

(cable length 3,5 m, incl. 4-leaf barndoor and filterframe)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L3.79400.B	ARRI 650 Plus	MAN	blue/silver	90-250 VAC	bare ends	385,00 €
L3.79400.D	ARRI 650 Plus	MAN	blue/silver	90-250 VAC	Schuko plug	390,00 €
L3.79400.I	ARRI 650 Plus	P.O.	blue/silver	90-250 VAC	bare ends	585,00 €
L3.79400.K	ARRI 650 Plus	P.O.	blue/silver	90-250 VAC	Schuko plug	595,00 €
L3.79405.B	ARRI 650 Plus	MAN	black	90-250 VAC	bare ends	385,00 €
L3.79405.D	ARRI 650 Plus	MAN	black	90-250 VAC	Schuko plug	390,00 €
L3.79405.K	ARRI 650 PLUS	P.O.	black	90-250 VAC	Schuko plug	595,00 €

COMPONENTS:


Ident. No.	Description	Price / EURO
L2.79470.0	4-leaf barndoor, black, 168 mm	59,00 €
L2.79500.0	8-leaf barndoor, black, 168 mm	110,00 €
L2.79471.0	4-leaf barndoor, outsides silver, 168 mm	115,00 €
L2.79490.0	Filter frame, 168 mm	20,00 €
L2.79460.0	Set of 4 metal scrims (168 mm / 6 5/8")	75,00 €
L2.79460.A	Metal scrim Full Single (168 mm / 6 5/8")	19,00 €
L2.79460.B	Metal scrim Full Double (168 mm / 6 5/8")	22,00 €
L2.79460.C	Metal scrim Half Single (168 mm / 6 5/8")	19,00 €
L2.79460.D	Metal scrim Half Double (168 mm / 6 5/8")	22,00 €
L2.79480.0	Snoot, 168 mm	65,00 €

ARRI 650 Plus (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.89068.0	Chimera Speed Ring Circular 6 1/2" (168 mm) for Video Pro Lightbanks 9670	poa €
L2.89074.0	Chimera Speed Ring Circular Metal 6 1/2" (168 mm) for Video Pro Lightbanks 9670AL	poa €
L2.70844.0	Chimera Lightbank Video Pro Plus "S", 24"x32" (60x80 cm) depth: 24" (60 cm) incl. 3 front screens 8125	390,00 €
L2.89069.0	Chimera Speed Ring Circular 6 1/2" (168 mm) for Daylite Junior Lightbanks 9672	poa €
L2.89205.R	Lamp T 650 (230 V) Radium GY 9,5 (CP89)	poa €
L2.89205.0	Lamp T 650 (230 V) Osram GY 9,5 (CP89)	poa €
L2.88020.0	Soft bag for stands or f-rolls for 6' b-frames & 51" gel roll	poa €
L2.89079.0	Operating pole 4 m, 4 sections, 3 rises, min.: 140 cm, max.: 400 cm, 427B-4,0	245,00 €
L2.89080.0	Operating pole 6.5 m, 4 sections, 3 rises, min.: 199 cm, max.: 650 cm, 427B-6,5	307,00 €
L2.76965.0	Compact Stand Code 050MKA LS.01, height 90...260 cm, spigot 16 mm	65,00 €
L2.76976.0	Blk Medium Kit Stand (Maxi) Code 050A LS.2, height 110...260 cm, spigot 16 mm	60,00 €
L2.76985.0	ARRI Super Clamp Code 035	26,00 €
L2.76986.0	Stud 16 mm with thread 3/8" 036-38	5,00 €

FLUORESCENT



STUDIO COOL 4



Type of Lamphead:	Flood, 220 W
Lamp Type:	TC-L 55 W
Lamp Base:	2G11
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	435 x 733 x 176 mm / 600 x 765 x 285 mm
Packed Volume:	130815 ccm
Weight/Shipping Weight:	7,8 kg / 10,4 kg
Protection Class:	I/IP 20
Certifications:	CE, CB, GS, cNRTL

FLUORESCENCE LAMPHEADS

(cable length 2 m)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L1.84004.B	STUDIO COOL 4 Multicontrol	MAN	black	220-250 VAC	Schuko	1.245,00 €
L1.84004.I	STUDIO COOL 4 Multicontrol	P.O.	black	220-250 VAC	Schuko	1.355,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.84066.0	4-leaf barndoor, black	160,00 €
L2.84064.0	Filter frame, Studio Cool 4	74,00 €
L2.84065.A	Eggcrate, SPS3, silver, Flood, 13 mm, red	115,00 €
L2.84065.C	Eggcrate, SPH6, silver, Medium, 15 mm, blue	115,00 €
L2.84065.D	Eggcrate, BTS3, black, Narrow, 13 mm, black	115,00 €
L2.84019.0	Lamp Studioline 55 W 2G11 Tube Osram Tungsten Fluorescent	poa €
L2.84029.0	Lamp Studioline 55 W 2G11 Tube Osram Daylight Fluorescent	poa €
L2.84070.0	P.O. Stirrup	175,00 €
L2.84080.0	Extension cable 2 m, PowerCon for Studio Cool	40,00 €
L2.84080.B	Extension cable 5 m, PowerCon for Studio Cool	57,00 €
L2.88459.0	3" Mounting baby plate male with swivel pin (LF.8010.A)	34,00 €
L2.76990.0	Safety cable for C clamp C155, 1 m long, diameter 4 mm, loads up to 20 kg	19,00 €



STUDIO COOL 2

Type of Lamphead:	Flood, 110 W
Lamp Type:	TC-L 55 W
Lamp Base:	2G11
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	309 x 733 x 175 mm / 430 x 765 x 285 mm
Packed Volume:	93751 ccm
Weight/Shipping Weight:	5,2 kg / 7,3 kg
Protection Class:	I/IP 20
Certifications:	CE, CB, GS, cNRTL

FLUORESCENCE LAMPHEADS

(cable length 2 m)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L1.84002.B	STUDIO COOL 2 Multicontrol	MAN	black	220-250 VAC	Schuko	1.080,00 €
L1.84002.I	STUDIO COOL 2 Multicontrol	P.O.	black	220-250 VAC	Schuko	1.175,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.84006.0	4-leaf barndoor, black	130,00 €
L2.84007.0	Filter frame, Studio Cool 2	70,00 €
L2.84005.A	Eggcrate, SPS3, silver, Flood, 13 mm, red	poa €
L2.84005.C	Eggcrate, SPH6, silver, Medium, 15 mm, blue	70,00 €
L2.84005.D	Eggcrate, BTS3, black, Narrow, 13 mm, black	70,00 €
L2.84019.0	Lamp Studioline 55 W 2G11 Tube Osram Tungsten Fluorescent	poa €
L2.84029.0	Lamp Studioline 55 W 2G11 Tube Osram Daylight Fluorescent	poa €
L2.84175.0	P.O. Stirrup	210,00 €
L2.84102.B	Electronic module multi control (cable: 2 m)	615,00 €
L2.84080.0	Extension cable 2 m, PowerCon for Studio Cool	40,00 €
L2.84080.B	Extension cable 5 m, PowerCon for Studio Cool	57,00 €
L2.76990.0	Safety cable for C clamp C155, 1 m long, diameter 4 mm, loads up to 20 kg	19,00 €



STUDIO COOL 2+2

Type of Lamphead:	Flood, 220 W
Lamp Type:	TC-L 55 W
Lamp Base:	2G11
Mounting:	Spigot 28 mm
Size (HxWxL)/Packed Size:	314 x 1338 x 175 mm / 375 x 285 x 1350 mm
Packed Volume:	144281 ccm
Weight/Shipping Weight:	9,8 kg / 12,8 kg
Protection Class:	I/IP 20
Certifications:	CE, CB, GS, cNRTL

FLUORESCENCE LAMPHEADS


(cable length 2 m)

Ident. No.	Description	Version	Colour	Voltage	Connector	Price / EURO
L1.84102.B	STUDIO COOL 2+2 Multicontrol	MAN	black	220-250 VAC	Schuko	1.545,00 €

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.84146.0	Filter frame, Studio Cool 2+2	110,00 €
L2.84139.C	Eggcrate, SPH6, silver, Medium, 15 mm, blue	128,00 €
L2.84139.D	Eggcrate, BTS3, black, Narrow, 13 mm, black	128,00 €
L2.84070.0	P.O. Stirrup	175,00 €
L2.84019.0	Lamp Studioline 55 W 2G11 Tube Osram Tungsten Fluorescent	poa €
L2.84029.0	Lamp Studioline 55 W 2G11 Tube Osram Daylight Fluorescent	poa €
L2.84080.0	Extension cable 2 m, PowerCon for Studio Cool	40,00 €
L2.84080.B	Extension cable 5 m, PowerCon for Studio Cool	57,00 €
L2.76990.0	Safety cable for C clamp C155, 1 m long, diameter 4 mm, loads up to 20 kg	19,00 €
L2.84080.B	Extension cable 5 m, PowerCon for Studio Cool	57,00 €
L2.88459.0	3" Mounting baby plate male with swivel pin (LF.8010.A)	34,00 €
L2.76990.0	Safety cable for C clamp C155, 1 m long, diameter 4 mm, loads up to 20 kg	19,00 €

PLA - PROFESSIONAL LIGHTING ACCESSORIES



EVENT COMPONENTS



EVENT COMPONENTS

Ident. No.	Description	Price / EURO
L2.37705.0	Split Box Event 1800 (3x 1200, 3x 1800)	489,00 €
L2.76341.0	Split Box Event Six (200/575/1200 W)	525,00 €
L2.76785.0	Transmitter pendant module 200	220,00 €
L2.76786.0	Transmitter Pendant module 575	220,00 €
L2.76787.0	Transmitter pendant module 1200	220,00 €
L2.37714.D	Multicore Event 1200/1800, 20 m	480,00 €
L2.76342.D	Multicore Event 575, 6 channels, AS2/5/12, 20 m	480,00 €
L2.75600.F	Extension Cable Event 1200/1800, 7 m	280,00 €
L2.75600.E	Extension Cable Event 1200/1800, 15 m	355,00 €
L2.76318.B	Extension Cable Event 575, 5 m (200/575/1200)	105,00 €
L2.76318.C	Extension Cable Event 575, 10 m (200/575/1200)	125,00 €
L2.76323.0	Adapter for AS2 Event on regular (VEAM) ballasts	110,00 €
L2.76339.0	Adapter for AS5 Event on regular (VEAM) ballasts	140,00 €
L2.76368.0	Adapter for AS12 Event on regular (VEAM) ballasts	175,00 €


ADAPTER CABLES



ADAPTER CABLES

Ident. No.	Description	Price / EURO
L2.72082.A	Adapter for lampheads 1200 W with male Cannon-VEAM-Connector to Ballasts with female Schaltbau-connector (Useable for ARRI-Norm too, but you need additional connection cable L2.75600.A!)	220,00 €
L2.72082.0	Adapter for lampheads 1200 W with male Schaltbau-connector (German TV) to Ballast with female Cannon-VEAM-Connector (Useable for ARRI-Norm too, but you need additional connection cable L2.75600.A!)	220,00 €
L2.77440.0	Adapter for use of switchable 2500/4000 W-lamphead with male Cannon-VEAM-Connector on CB 2500 with female Cannon-VEAM-Connector (Switchable lampheads like ARRISUN or X 40/25 are connected internal as 4000 W-lampheads.)	255,00 €
L2.77440.A	Adapter for use of switchable 2500/4000 W-lamphead with male Cannon-VEAM-Connector on CB 2500 with female Schaltbau-connector (Switchable lampheads like Arrisun or X 40/25 are connected internal as 4000 W-lampheads.)	255,00 €
L2.72525.A	Adapter for 4000 W-lamphead with male Cannon-VEAM-Connector on Ballast with female Schaltbau-connector (Useable for ARRI-Norm too, but you need additional connection cable L2.75620.A!)	255,00 €
L2.72525.0	Adapter for 4000 W-lamphead with male Schaltbau-connector (German TV) on Ballast with female Cannon-VEAM-Connector (Useable for ARRI-Norm too, but you need additional connection cable L2.75620.A!)	255,00 €
L2.77004.0	EB's 6000/12000 W (Ident-No. L2.76161.0) to Serial No. 12040329-98 have just female 12000 W-connectors. Adapter for use of 6000 W-lampheads on this Ballasts.	530,00 €

COMPONENTS FOR DAYLIGHT



COMPONENTS FOR DAYLIGHT


Ident. No.	Description	Price / EURO
L2.74230.0	4-leaf barndoor, black, 215 mm for Daylight 575	poa €
L2.70637.0	Scrim Set, full double, half double, full single, half single, 215 mm, 8 1/2" for Daylight 575	90,00 €
L2.70637.A	Scrim, full single, 215 mm, 8 1/2" for Daylight 575	22,00 €
L2.70637.B	Scrim, full double, 215 mm, 8 1/2" for Daylight 575	19,00 €
L2.70637.C	Scrim, half single, 215 mm, 8 1/2" for Daylight 575	22,00 €
L2.70637.D	Scrim, half double, 215 mm, 8 1/2" for Daylight 575	19,00 €
L2.75828.0	Lamp HMD 575 W DE Osram 220 V	280,00 €
L2.70636.0	Scrim Set, full double, half double, full single, half single, 325 mm, 12 5/8" for Daylight 1,2 kW	90,00 €
L2.70636.A	Scrim, full single, 325 mm, 12 5/8" for Daylight 1,2 kW	20,00 €
L2.70636.B	Scrim, full double, 325 mm, 12 5/8" for Daylight 1,2 kW	23,00 €
L2.70636.C	Scrim, half single, 325 mm, 12 5/8" for Daylight 1,2 kW	20,00 €
L2.70636.D	Scrim, half double, 325 mm, 12 5/8" for Daylight 1,2 kW	23,00 €
L2.75831.0	Lamp HMD 1200 W DE Osram 220 V	poa €
L2.75834.0	Lamp HMD 2500 DE Osram	540,00 €
L2.81230.0	Set of 4 scrims (400 mm / 15 3/4")	155,00 €
L2.81230.A	Full Single (400 mm / 15 3/4")	40,00 €
L2.81230.B	Full Double (400 mm / 15 3/4")	45,00 €
L2.81230.C	Half Single (400 mm / 15 3/4")	40,00 €
L2.81230.D	Half Double (400 mm / 15 3/4")	45,00 €
L2.70634.0	Set of 4 scrims (530 mm / 21")	270,00 €

COMPONENTS FOR DAYLIGHT (CONTINUE)

COMPONENTS:

Ident. No.	Description	Price / EURO
L2.70634.A	Full Single (530 mm / 21")	65,00 €
L2.70634.B	Full Double (530 mm / 21")	70,00 €
L2.70634.C	Half Single (530 mm / 21")	65,00 €
L2.70634.D	Half Double (530 mm / 21")	70,00 €
L2.74750.0	4-leaf barndoor, 530 mm	340,00 €
L2.75837.0	Lamp HMD 4000 DE Osram 200 V	poa €
L2.75840.0	Lamp HMD 6000 DE Osram 123 V S25,5	poa €
L2.89258.0	Lamp HMI 12000 S30x70 Osram	poa €

STANDS



STANDS

Ident. No.	Description	Price / EURO
L2.76975.0	Compact Stand Code 050KA LS.1, height 71...235 cm, spigot 16 mm	65,00 €
L2.76965.0	Compact Stand Code 050MKA LS.01, height 90...260 cm, spigot 16 mm	65,00 €
L2.76976.0	Blk Medium Kit Stand (Maxi) Code 050A LS.2, height 110...260 cm, spigot 16 mm	60,00 €
L2.8803653	Master stand, 1004BAC	99,00 €
L2.88717.0	Universal black cine stand, with levelling leg, 5/8in stud & 1 1/8 in bushing, 007BA	125,00 €
L2.76979.0	ARRI stand AS.5, chrome, steel, 2 sections, height 131...333 cm, closed 131 cm, spigot 16mm and socket 28 mm, max. load 20 kg, 126A	160,00 €
L2.8800561	Wind-up stand AS-6, with wheels, 1 section, height 139...247 cm, closed 153 cm, spigot 16 mm and socket 28 mm, 083NW	440,00 €
L2.76985.0	ARRI Super Clamp Code 035Z	24,00 €
L2.88136.0	Quick Action Junior Clamp 1 1/8 (28 mm) B	99,00 €

A

Adapter Cables 123
 ARRI 150 112
 ARRI 300 Plus..... 113
 ARRI 300/650 Fresnel Combo Set 20
 ARRI 650 Plus..... 115
 ARRI 650/3 Set with wheels 18
 ARRI Compact 200 42
 ARRI Compact 1200 Baby 46
 ARRI Compact 6000 Plus 44
 ARRI Compact 2500 Theatre 48
 ARRI Compact 4000 Theatre 50
 ARRI Daylight 18/12 41
 ARRI Fresnel (Daylight)..... 41
 ARRI Fresnel (Tungsten) 112
 ARRI LoCaster Sets 13
 ARRI X 66
 ARRI X 5 66
 ARRI X 12 68
 ARRI X 40/25 70
 ARRI X 60 72
 ARRI X Theatre 74
 ARRI X 40/25 Theatre 74
 ARRILITE Plus 94
 ARRILITE 2000 Plus 96
 ARRILITE 2000 Plus Sets 16
 ARRILITE 750 Plus..... 94
 ARRILITE 750 Plus Sets 15
 ARRILU X..... 76
 ARRILUX - PocketPAR Sets 14
 ARRILUX PocketPAR 125 76
 ARRILUX PocketPAR 200 78
 ARRILUX PocketPAR 400 80
 ARRIMAX 18/12 40
 ARRISUN 52
 ARRISUN 2 52
 ARRISUN 5 54
 ARRISUN 60 60
 ARRISUN 120 62
 ARRISUN Event 64
 ARRISUN 5 Event 64
 ARRISUN 18 Event 65
 AS 18 56
 AS 40 58

B

Ballasts 82
 BroadCaster 24

C

Caster Series..... 24
 Choke Ballasts 85
 Compact 42
 Compact Theatre 48
 Components for Daylight..... 124
 CYC Floodlight..... 106
 CYC/Floodlight..... 106

D

Daylight 26
 Daylight Sets 14

E

Electronic Battery Ballasts 85
 Electronic Booster Ballasts 85
 Electronic Event Ballasts..... 86
 Electronic High Speed Ballasts..... 84
 Electronic Lightweight Ballasts 84
 Electronic Location Ballasts..... 83
 Event Ballasts 86
 Event Components 122

F

Fluorescent 117

L

L-Series 22
 L7-C 22
 L7-TT 23
 LED 21
 LED Sets 13
 LoCaster 24
 Location Ballasts..... 83

M

M-Series 35
 M18 35
 M40 37
 M90 39

P

PLA - Professional Lighting Accessories 121
 PocketPAR 76

S

Sets..... 12
 Sofbank I Plus Set 17
 Sofbank IV Plus Set 19
 Stands..... 126
 Studio T 108
 Studio T12 108
 Studio T24 110
 Studio Cool 118
 Studio Cool 2 119
 Studio Cool 2+2..... 120
 Studio Cool 4 118

T

True Blue D 27
 True Blue D5 27
 True Blue D12 29
 True Blue D25 31
 True Blue D40 33
 True Blue ST 98
 True Blue ST1 98
 True Blue ST2/3..... 100
 True Blue ST5..... 102
 True Blue ST Theatre..... 104
 True Blue ST1/2 Theatre..... 104
 True Blue ST5 Theatre..... 105
 True Blue T 88
 True Blue T1 88
 True Blue T2 90
 True Blue T5..... 92
 Tungsten 87
 Tungsten Sets 15

ARNOLD & RICHTER CINE TECHNIK GMBH & CO BETRIEBS KG

GENERAL SALE AND DELIVERY TERMS AND CONDITIONS FOR MERCHANTS¹

1. General; Scope

The terms and conditions delineated herein shall be the sole terms and conditions which apply to all of ARRI's current and future business transactions. Unless ARRI has approved of such in writing, any terms or conditions which conflicts with, deviate from or modify the terms and conditions delineated herein shall not be binding on ARRI irrespective of whether ARRI had prior notice of such terms or conditions. ARRI hereby expressly objects to any such conflicting, deviating or modified terms or conditions.

2. Contract Formation

2.1 Any offers made by ARRI shall be without obligation and subject to change without notice provided that the parties have not agreed to a lock-up period.

2.2 The customer is bound to its order for a period of four weeks after its receipt by ARRI. A contract is deemed to exist upon the customer's receipt of ARRI's written confirmation regarding the order or the effective delivery of the applicable goods to the customer pursuant to the terms hereof.

2.3 The scope and type of delivery for an order shall be established solely through ARRI's written confirmation relating to such order. Any errors or omissions in ARRI's sales prospectus, pricelists, offer documents or other related documentation may be amended without ARRI incurring any liability for damages or compensation in relation to such errors or omissions.

3. Payment, Set-Off, Withholding

3.1 The purchase price for the contract shall be that price which is specified by ARRI for such contract and shall apply ex works, exclusive of any value added tax; if the price is not indicated, the pricelist then in effect shall apply. If the sale has occurred through delivery to a place other than the place of performance (at the customer's request), any costs incurred for packaging, shipping, freight, customs or other related costs will be charged separately. If the customer fails to accept delivery when tendered by ARRI, it must nevertheless make payment.

3.2 In the event that the manufacturing costs for the contracted goods (including, but not limited to, wages, salaries, materials or production costs) rise subsequent to formation of the contract, ARRI shall have the right to increase the purchase price in accordance therewith.

3.3 Invoices from ARRI are due upon ARRI making the goods available to the customer and are payable without deductions within 10 days of the issuance thereof. Upon a default in payment, any overdue amounts will accrue interest at a rate of 8% above the basic interest rate. ARRI reserves its right to assert any further claims regarding damages resulting from a default.

3.4 The customer can offset its payments only if its counterclaim thereto have been judicially sustained or recognized by a declaratory judgment. A right to withholding shall only apply to counterclaims arising specifically from the contract which is the subject of such withholding.

4. Delivery

4.1 The dates for delivery and/or the making available of the goods are not binding unless a date for such has been agreed to in writing by ARRI.

4.2 ARRI is entitled to carry out advance and/or partial deliveries of the goods.

4.3 In the event that ARRI is unable to deliver or make the goods available to the customer due to events of force majeure lasting for a period of three months or more, ARRI's obligation to deliver or make the goods available shall be deemed extinguished in its entirety.

4.4 ARRI shall be entitled to postpone delivery or availability of the goods for the entire duration of the force majeure events.

4.5. Events of force majeure shall be deemed to be any events which are beyond ARRI's control and which make delivery impossible or unreasonably difficult, including, for example, strikes, lawful lockouts, war, import or export prohibitions, scarcity of energy supplies or raw materials, or the delayed delivery to ARRI of goods required for the performance of its obligations hereunder for reasons beyond ARRI's control. If ARRI is released from its obligations as described in Section 4.3 above, the customer shall be entitled to rescind the applicable contract. Compensation for damages for nonperformance can be claimed by the customer only if the default in delivery is due to ARRI's gross negligence or is intentionally caused by ARRI.

5. Transfer of Risk

5.1 The risk of loss or damage to the goods passes to the buyer as soon as ARRI has dispatched the goods from its premises (i.e., plant, factory or warehouse) or upon the surrendering of the goods to the applicable carrier or to the customer itself, as the case may be. The above shall also apply in the event that ARRI serves as the carrier for the goods.

5.2. If the forwarding or collection of the goods is delayed due to reasons attributable to the customer, the risk of loss shall be transferred to the customer upon the readiness of the goods for dispatch.

6. Defective Goods

6.1 The customer must inspect the delivered goods immediately upon its receipt of such. The customer must notify ARRI in writing of any apparent defects within one week of the goods' receipt. ARRI must be notified of hidden defects in writing within two weeks of their emergence but in no event later than one year after delivery of such goods. In the event that the customer fails to meet the aforementioned notification obligations, the goods shall be deemed to have been accepted and the rights set forth in Sections 6.2 and 6.3 below shall not be in effect.

6.2 In the event that the customer has notified ARRI of defects in a timely manner and is thus eligible to make a claim for re-performance, ARRI shall have the right, at its own cost, either to remedy the defect or to redeliver conforming goods.

6.3. If ARRI twice fails to remedy a defect or if ARRI is otherwise unable to accomplish its re-performance obligation or fails to do so within a time period reasonably set forth by the customer, the customer shall be entitled to reduce the purchase price under the contract or to cancel the contract. Instead of seeking performance, the customer can make a claim for damages or for compensation for expenses. However, if the customer elects to rescind the contract it shall have no right to make any claim for damages with respect to the defective goods.

6.4 Provided that ARRI has not acted fraudulently, any claims of the customer regarding the goods shall become void and unenforceable one year after delivery of the applicable goods.

6.5 The prescription period of one year in Section 6.4 above shall be replaced by a prescription period of two years for goods from the product range „Light“ of ARRI that are distributed under the brand „ARRI“.

7. Liability

7.1 ARRI shall be liable for any damage hereunder caused by it intentionally or caused by its gross negligence.

7.2 In the event of simple negligence by ARRI, ARRI shall be liable only for ordinary and foreseeable damage arising from the contract, and only to the extent that ARRI has breached material contractual obligations. Further, in the event of simple negligence by ARRI, ARRI shall be liable for personal injury and/or health-related damage attributable to ARRI.

7.3 ARRI shall not be liable for consequential damages and unforeseen damages (including consequential damages resulting from defective goods) as well as loss of profits in the event it has acted with simple negligence.

7.4 ARRI shall be subject to no liability beyond that which is delineated in this Section 7.

7.5 To the extent that ARRI's liability is excluded or limited, such exclusion or limitation shall apply to any persons or entities employed by ARRI in the performance of its contractual obligations.

7.6 The limitations of liability delineated herein shall not apply to any legally prescribed strict liability, in particular any such strict liability arising from laws regarding guarantees or product warranties.

8. Retention of Title

8.1 Ownership of the delivered goods shall remain with ARRI until it has received full payment for such goods. Title to the goods shall first pass to the customer upon ARRI's receipt of all payments which are due under the current applicable contract.

8.2 Prior to obtaining title to the goods, the customer is not entitled to pledge, to assign by way of security, to process or to alter the goods. The customer is, however, authorized to sell the goods to third parties in the ordinary course of business unless a non-assignability agreement regarding the consideration exists between the customer and the third party. If a third party acquires an interest in the goods through a resale to such party, the customer agrees to assign to ARRI all of its correlating rights and claims against such third party. ARRI hereby accepts such assignment.

8.3 Any combination, amalgamation and/or processing of the goods (sections 947, 948 and 950 BGB [German Civil Code]) shall be deemed to have been made on behalf of ARRI. ARRI shall acquire title to the resulting product in the ratio of the invoiced value of the goods and services provided by ARRI to the total invoiced value of the resulting product. If the goods have been resold to a third party, the assignment of rights and claims performed in accordance with Section 8.2 above shall be valid solely up to the amount of the invoiced value of goods and services provided by ARRI.

8.4 Upon a default in payment by the customer, ARRI has the right to disclose to any applicable third party that it holds an interest in the goods pursuant to the assignment delineated above and to assert any of its claims directly. The customer is obligated to provide and deliver to ARRI all documentation required for the assertion of such claims. The customer must also make available to ARRI, completely and in a timely fashion, all information about any events that might affect the obligations described above.

9. Jurisdiction; Governing Law

9.1. The parties hereto agree that the exclusive jurisdiction for any transaction and/or contract between the parties is Munich, Germany.

9.2 The relationship of the parties hereto shall be exclusively governed by and in all respects construed in accordance with the laws of the Federal Republic of Germany with no application whatsoever of the United Nations sales law.

¹ Kaufleute as defined in the HGB [German Commercial Code]

Revision: 1st January 2006

Registered Office: Munich
Trade Register: Municipal Court Munich, HRA 57918

General Partner: Arnold & Richter Cine Technik GmbH
Registered Office: Munich
Trade Register: Municipal Court Munich, HRB 54477
Managing Director: Franz Kraus, Dr. Martin Prillmann
Chairman of the Advisory Board: Prof. Dr. Hans Jörg Bullinger

VAT No: DE 129725260

ARRI SALES DEPARTMENTS

EMEA (Europe, Middle East, Africa, India)

**Arnold & Richter Cine Technik
GmbH & Co. Betriebs KG.
Business Unit Lighting & System Group**
Ernst-Augustin Str. 12, 12489 Berlin, Germany
Tel: + 49(0)30-678233-0
Fax: +49(0)30-678233-99
sales-lighting@arri.de

ARRI Italia S.r.l.

Viale Edison 318
20099 Sesto San Giovanni (Milano), Italy
Tel: +39 (02)262 271 75
Fax: +39 (02)242 1692
info@arri.it

AMERICAS

ARRI Inc. / West Coast & Mexico

600 North Victory Blvd.,
Burbank, CA 91502-1639, United States
Tel: +1 (818)841 7070
Fax: +1 (818)848 4028
info@arri.com

ARRI Inc. / East Coast

617 Route 303
Blauvelt, NY 10913-1109, United States
Tel: +1 (845)353 1400
Fax: +1 (845)425 1250
info@arri.com

ARRI Inc. / Central & Southern America

2385 Stirling Road
Fort Lauderdale, FL 33312, United States
Tel: +1 (954)322 4545
Fax: +1 (954)322 4188
info@arri.com

ARRI Canada Limited

1200 Aerowood Drive, Unit 29
Mississauga, Ontario L4W 2S7, Canada
Tel: +1 (416)255 3335
Fax: +1 (416)255 3399
info@arri.com

ASIA / PACIFIC

ARRI Asia Ltd.

2203B, The Centrium
60 Wyndham Street
Central, Hong Kong
Tel: +852 2571 6288
Fax: +852 2875 9181
info@arriasia.hk

ARRI China (Beijing) Co. Ltd.

Chaowai SOHO Tower C
6/F, Suite 0628/0656
Chaowai Dajie Yi 6
100020 Beijing, China
Tel: +86 (10)5900 9680
Fax: +86 (10)5900 9679
store@arrichina.com

ARRI Australia Pty Ltd

Level 1, Unit 1, 706 Mowbray Road
Lane Cove NSW 2066
Sydney, Australia
Tel: +61 (2)9855 4300
Fax: +61 (2)9855 4301
info@arri.com.au



www.arri.com

